NORTH WEST YUNNAN FROM A HOLARCTIC VIEW

in search of some rare new Holarctic species

16-01 UNTIL 29-01-2016



Gould's Shortwing and Biet's Laughingthrush, by Menxiu both two of the main target birds of the trip

Max Berlijn, Epen, The Netherlands, maxberlijn@gmail.com

Legenda:

*AAAA = New (Holarctic) Species (17)
*Aaaaa = New species not Holarctic

AAAAA = Good species for the trip or for me

The list order is conform Beaman (M) 1994 with the recent changes on the splitting and lumping issue mainly based on publications in the "important magazines". Subspecies is only mentioned when thought to be important and really visible in the field. The totals of birds per species are just a total of the birds I saw to give an idea how many of a species you encounter during a trip. Only species seen are mentioned, and heard when no lifer (with one exception).

On this trip the weather was reasonable with almost no rain in the birding moments. In the mountains it was rather cold with quite a lot of snow. In the marshes and forests it was pleasant, sometimes quite hot but very good birding weather.

Itinerary

16-01 Flew in the evening from Amsterdam to Chengdu and later on to Shangri-La, constantly thinking of a great bird I was missing in the Netherlands (a Siberian Rubythroat) which was discovered on the day I had to leave..

17-01 Arrived at Shangri-La (3000+ meter) late in the evening where Menxiu of http://www.chinawildtour.com/ picked me up from the airport.

18-01 Drove all day to Meli Snow Mountain (MSM) in the Deqin Country and birded in the afternoon. Spent the night in a hotel close by.

19-01 Birded in another valley in the Deqin country at a Tibetan settlement and spent the night there.

20-01 Birded in the morning around the Tibetan settlement (leaving without seeing the parakeet) and drove in the afternoon and night to Lijiang and spent the night there.

21-01 Birded around Lijiang all day, in the morning in search of Biet's Laugher and in the afternoon in a city park for Yunnan Nuthatch.

22-01 Searched for the nuthatch in the morning In the city park and drove to Baihualing in the Gaoligong NNR in the afternoon to check in a small hotel.

23-01 Birded at Baihualing in the lower parts in search of the shortwing.

24-01 Walked up to the summit for about 1/3 (2500 meters) of the total walk and back at Gaoligong.

25-01 Birded at Baihualing around the hides all day.

26-01 Drove to another part of the Gaoligong mountain range with birding stops and birded there.

27-01 Birded in the morning around the summit (3000 meter). Later that afternoon "flew" from heavy snowfall to the lower parts on the way to Baoshan, afraid that this would not be possible the next morning (which proved correct) because the pass closed after us.

28-01 Birded in the morning in a city park of Nujiang and drove to Baoshan in the afternoon.

29-01 Flew back from Baoshan via Kunming, Beijing to Amsterdam to arrive in the early morning of 30-01 and twitched the Rubythroat later that morning!





 ${\it Menxiu \ and \ Grace \ looking \ at \ the \ Biet's \ Laugher \ place}.$

How quick the weather can change, in the morning free of snow, two hours later..



Shangri-La the first part of the tour.



Gaoligong, the second and third part of the tour.

THE BIRD SPECIES

01. Bar-headed Goose - Anser indicus

20-01 50 ex. at a high lake near Shangri-La.

02. Goosander – Mergus merganser

20-01 400 ex. at a high lake near Shangri-La.

03. Ruddy Shelduck - Tadorna ferruginea

20-01 500 ex. at a high lake near Shangri-La.

04. Common Pochard – Aythya ferina

20-01 75 ex. at a high lake near Shangri-La.

05. Northern Shoveler - Anas clypeata

20-01 10 ex. at a high lake near Shangri-La.

06. Gadwall – Anas strepera

20-01 10 ex. at a high lake near Shangri-La.

07. Eurasian Wigeon – Anas Penelope

20-01 1 mannetje at a high lake near Shangri-La.

08. Mallard – Anas platyrhynchos

20-01 100 ex. at a high lake near Shangri-La.

09. Northern Pintail - Anas acuta

20-01 40 ex. at a high lake near Shangri-La.

10. Common Teal – Anas crecca

20-01 100 ex. at a high lake near Shangri-La.

11. Lady Amherst's Pheasant – Chrysolophus amherstiae

18-01 1 male seen well walking in front of the electric bus in Meli

Snow Mountain park. All the features seen well.

12. Little Grebe – Tachybaptus ruficollis

21+22-01 About 10 birds in the city park of Lijiang

13. Speckled Woodpigeon – Columba hodgsoni

18-01 1 ex. flying at Meli Snow Mountain park

26-01 8 ex. seen well at Baihualing

14. Snow Pigeon – Columba leuconota

20-01 50 ex. in a flock near the Tibetan village.

15. Wedge-tailed Green Pigeon – Treron sphenurus

A total of 11 seen at Baihualing.

16. Black Stork – Ciconia nigra

20-01 20 ex. at a high lake near Shangri-La. Strange to see this for

me associated with good weather species in such an environment.

17. Great Egret – Ardea alba

20-01 15 ex. at a high lake near Shangri-La.

18. Little Egret – Egretta garzetta

22-01 20+ ex. seen from the car while driving.

19. Nothern Lapwing - Vanellus vanellus

20-01 1 ex. at a high lake near Shangri-La.

20. Pallas's Gull - Ichthyaetus (Larus) ichthyaetus

20-01 20 ex. at a high lake near Shangri-La. Nice some already

coming into summer plumage.

21. Black-winged Kite - Elanus caeruleus

21-0122-011 ax sitting on a telegraph pole near Lijiang22-011 seen hunting from the car along the road.

22. Himalayan Griffon Vulture – Gyps himalayensis

22+23-01 2 birds in total flying above Baihualing.

23. Cinerous Vulture - Aegypius monachus

19-01 1 bird in flight along the way, seen well with the black

facemask. For the location: http://observado.org/waarneming/view/114082445

24. Black Eagle - Itinaetus malaiensis

24-01 2 ex seen well in flight during the walk, nice views.

25. Golden Eagle – Aquila chrysaetos

19-01 1 ex. above the Tibetan settlement.

26. Eurasian Sparrowhawk - Accipiter nisus

22-01 1 ex. along the road

28-01 1 ex. from the car while waiting in a traffic jam.

27. White-Tailed Sea Eagle – Haliaeetus albicilla

20-01 3 ex. at a high lake near Shangri-La. Some adult birds.

28. Himalayan Buzzard – Buteo (buteo) refectus

20+21-01 4 ex. in total spread over these two days in Degen.

29. *COLLARED OWLET - Glaucidium brodiei

26-01 1 ex. seen very well calling from a tree near the road. Finally after year of hearing and using this species' call for attracting birds I SAW one. We heard at least 4 more birds in the Lijiang and Baihualing area.



Finally....

30. Greater Yellow-naped Woodpecker - Chrysophlegma flavinucha

24-01 1 seen well during the walk to the summit.

31. Bay Woodpecker - Blythipicus pyrrhotis

A total of 3 birds heard and one of them seen during the trip

32. *Crimson-breasted Woodpecker - Dryobates pernyii

26-01 1 male seen very well with a crimson middle breast and a Middle Spotted like head and neck pattern while walking down from the summit.

33. *Stripe-breasted Woodpecker – Dendrocopos atratus

24-01 1 ex. seen well while walking up the summit.

34. Darjeeling Woodpecker – Dendrocopos darjellensis

18-01 1 ex. seen well at MSM.

24-01 1 ex. . seen well while walking up the summit.

35. Great Barbet - Psilopogon virens

A total of 5 seen at the feeders of Baihualing.

36. Golden-throated Barbet – Psilopogon franklinii

A total of 6 seen at the feeders of Baihualing.

37. Blue-throated Barbet - Psilopogon asiaticus

24-01 2 ex. at the feeders in the late afternoon at Baihualing.

38. Common Kingfisher – Alcedo atthis

21 -01 1 ex. at the citypark of Lijiang.

39. Grey-chinned Minivet – Pericrocotus solaris

23-01 2 males at Baihualing.

27-01 2 ex. seen while walking down from the summit.

40. Blyth's (White-browed) Shrike Babbler - Pteruthius aeralatus ssp: ricketti

21-01 1 ex. seen well near Lijiang.24-01 1 ex. on the summit walk.



The bird near Lijiang

41. Green Shrike-babbler - Pteruthius xanthochlorus

24-01 Common in small flocks on the summit walk.

42. Black-eared Shrike Babbler - Pteruthius melanotis

23-01 3 ex. at Baihualing, very nice views in a feeding flock

43. Maroon Oriole - Oriolus traillii

23-01 1 ex. at Baihualing, very nice views

44. Bar-winged Flycatcher-shrike – Hemipus picatus

24-01 5 ex. in a small flock at the base of the summit walk.

45. Ashy Drongo – Dicrurus leucophaeus

24-01 1 ex. near the village we stayed in the evening at Baihualing.

46. **Bronzed Drongo – Dicrurus aeneus**

A total of 5 seen in the Baihualing area.

47. Yellow-Bellied Fantail - Chelidorhynx (Rhipidura) hypoxantha

A total of 9 seen on several days, often near settlements.

48. White-throated Fantail – Rhipidura albicollis

A total of 6 seen spread over the trip.

49. Long-tailed Shrike - Lanius shach ssp: tricolor

A total of 13 birds seen on the trip, many in the fields while driving. All with all dark upper head..

50. Grey-backed Shrike - Lanius tephronotus

21-01 1 ex. seen very well near Lijiang.

51. Alpine Chough - Pyrrhocorax pyrrhocorax

19+20-01 Common around the Tibetan settlement.

52. Yellow-billed Blue Magpie – Urocissa flavirostris

27-01 1 ex. seen perched and in flight over the road coming down

from the summit. Nice views with yellow bill

53. Azure-winged Magpie – Cyanopica cyanus

20-01 2 ex. seen near Lijiang.

54. Eurasian Magpie – pica pica

20-01 2 ex. seen near Lijiang.

55. Eurasian Nutcracker - Nucifraga caryocatactes

A total of 5 birds seen and many more heard in the higher parts visited during the trip.

56. Common Raven – Corvus corax

19+20-01 4 seen around the Tibetan settlement.

57. Large-Billed Crow - Corvus macrorhynchos ssp: tibetosinensis

Seen in low numbers almost daily.

58. Streaked Spiderhunter - Arachnothera magna

23-01 1 ex. at Baihualing.

24-01 1 ex. near the base of the summit start, called "the platform".

59. Fire-tailed Sunbird – Aethopyga ignicauda

A total of 5 birds seen spread over the trip, both males and females.

60. Black-throated Sunbird - Aethopyga saturate

25-01 1 mail at one of the feeders at Baihualing.

61. Green-tailed Sunbird - Aethopyga nipalensis

A total of 17 seen mainly in the Baihualing area.

62. Orange-bellied Leafbird – Chloropsis hardwickii

25-01 1 ad the feeders at Baihualing.

27-01 1 ex. on the way up to the summit.

63. Alpine Accentor - Prunella collaris ssp: nipalensis

27-01 1 ex. seen well near the summit

28-01 1 ex. along the way



Very rufous underparts

64. Eurasian Tree Sparrow – Passer montanus

Quite commonly seen at several place during the trip.

65. Olive-backed Pipit - Anthus hodgsoni ssp: hodgsoni

A total of 30 seen spread over the stay at Baihualing. Very striped mantle.



Look at the mantle

66. White Wagtail - Motacilla alba ssp: alboides

A total of 15 seen spread over the trip.

67. White-winged Grosbeak – Mycerobas carnipes

A total of 12 seen, mainly in Baihualing but also in the visited Tibetan village (3000+ meter)

68. Scarlet Finch - Haematospiza sipahi

25-01 1 adult male seen well at one of the hides at Baihualing. Feeding on seeds what a cracker!

69. Long-tailed Rosefinch – Carpodacus sibericus ssp: henrici

18-01 2 ex. a pair seen from the road at MSM.

70. Crimson-browed Finch - Propyrrhula subhimachala



The male

71. Pink-rumed Rosefinch - Carpodacus eos

19+20 -01 13 ex. in total in a small sometimes mixed flock at the Tibetan village, great views.

72. Vinaceous Rosefinch - Carpodacus vinaceus

23+25-01 1 female at one of the feeders at Baihualing, nice white terialtips

73. Himalayan (?) Beautiful Rosefinch – Carpodacus pulcherrimus ssp: argyrophrys

21-01 1 male in a city park near Lijiang, it gave nice views. Himalayan bases on location and considered subspecies.

74. *BLANFORD'S ROSEFINCH – Agraphospiza rubescens

22-01 1 female perched near one of the feeders at Baihualing. A small rosefinch with no obvious markings on the upperparts (wingbars (slightly) or tertialtips). Blanford's female seems to fit this perfectly; lucky we could make one picture. Hopefully I will see a male sometime..



The back was uniform with no (buff)wingbars, no male but second best..by Menxiu.

75. Grey-headed Bullfinch - Pyrrhula erythaca

21-01 4 cracking males at the Laughingthrush place. Nice views with

the orange prominent breasts

76. Plain Mountainfinch - Leucostica nemoricola

20-01 40 ex. in one flock near the Tibetan village.

77. Red Crossbill – Loxia curvirostra ssp: hymalayensis

27-01 60 ex. seen in a small flock near the summit, the birds did not

look different and sounded the same (by ear) as "our" subspecies.

78. *TIBETAN SISKIN – Spinus thibetanus

25-01 30 ex. at the hides, nice views.

26-01 10 ex. in a small flock. Nice very yellow males.

79. Godlewski's Bunting – Emberiza godlewski

19+20 -01 10 ex. in total at the Tibetan village.

80. Little Bunting – Emberiza pusilla

24-01 1 ex. seen well near the village we stayed.

81. Fire-capped Tit – Cephalopyrus flammiceps

23-01 7 ex. in small flocks in the visited valley. No adult males.

82. Yellow-browed Tit - Sylviparus modestus

23-012 ex. in the visited valley, great views.27-015 ex. seen in a passing feeding flock.

83. Coal Tit – periparus ater ssp: aemodius

19-01 2 ex. at a birding stop.

84. Rufous-vented Tit – Periparus rubidiventris

18-01 2 ex. seen during a birding stop along the way.

85. Black-bibbed Tit - Poecile hypermelaenus

One of the commonest tit recorded, 9 seen in total.

86. Green-backed Tit - Parus monticolus

A total of 10 birds seen spread over the trip.

87. Great Tit – Parus major ssp: tibetanus

Quite common, mostly around Lijiang.

88. Yellow-cheeked Tit – Parus spilonotus

A total of 12 seen spread over three days at Baihualing.

89. Oriental Skylark - Alauda gulgula ssp: vernayi

20-01 5 ex. in a small flock on a field near the Tibetan village, great views with the orange secondaries.

90. Hill Prinia – Prinia atrogularis ssp: atrogularis (?)

23+25-01 2 ex, without a black throat (winter plumage?) at the feeders of Baihualing.

91. *Rufescent Prinia - Prinia rufescens

28-01 40 ex. at Nujiang in a citypark, nice prinia.

92. Plain Prinia – Prinia inornata

23-01 1 ex. near the village where we stayed.

93. Common Tailerbird - Orthotomus sutorius

25-01 2 ex. seen at Baihualing

94. Scaly-breasted Wren Babbler – Pnoepyga albiventer

25-01 2 ex. seen very well feeding at the feeders at Baihualing, both



One of these often hard to see buggars

95. Asian House Martin - Delichon dasypus

28-01 10 ex. at Nujiang in a city park. White throat and les contrasting than Nepal.

96. *NEPAL HOUSE MARTIN - Delichon nipalense

28-01 150 ex. at Nujiang in a city park, great views, bigger, more contrasting and with an obvious black throat.

97. Red-rumped Swallow- Cecropsis daurica ssp: nipalensis (?)

22-0128-0110 ex. in a small flock along the way.1 ex. at Nujiang in a city park

98. Barn Swallow - Hirundo rustica

A total of 20 ex. seen spread over the trip.

99. Eurasian Crag Martin – Ptyonoprogne rupestris

A total of 24 ex. seen spread over the trip.

100. Grey-throated (Plain) Martin - Riparia (paludicola) ssp: chinensis

22-01 7 ex. in a small flock along the way.

101. Mountain Bulbul - Ixos mcclellandii

A total of 35 ex. seen spread over the trip, the most common forest Bulbul.

102. Black Bulbul – Hypsipetes leucocephalus

25-01 1 ex. at one of the Baihualing feeders.

103.*CRESTED FINCHBILL - Spizixos semitorques

Common at the feeders of Baihualing, giving great views.

104. Red-whiskered Bulbul – Pycnonotus jocosus

Quite common in the villages of Baihualing in small flocks.

105. Red-vented Bulbul - Pycnonotus cafer

28-01 10 ex. at Nujiang in a city park.

106. Flavescent Bulbul – Pycnonotus flavescens

23-01 10 ex. at Baihualing. 25-01 2 ex. at Baihualing.

107. Chinese Leaf Warbler – Phylloscopus yunnanensis

22-01 10 ex. in a small flock, presumed to be this species in the city park of Lijiang. They looked different from Lemmon-rumped in being more obvious marked (al yellow supercilium), smaller

108. Yellow-browed Warbler - Phylloscopus inornatus

23-01 2 ex. calling from the village we stayed in at Baihualing.

109. Hume's Warbler - Phylloscopus humei

28-01 10 ex. at Nujiang in a city park giving very nice close up views.

110.Lemon-Rumped Warbler - Phylloscopus chloronotus

Common in Baihualing, presumed to be this species being different from the well marked Pallas's.



I think Lemmon-rumped?

111. Pallas's Leaf Warbler - Phylloscopus proregulus

21+22-01 4 ex. in total around Lijiang 28-01 2 ex. at Nujiang in a city park

112. Buff-barred Warbler - Phylloscopus pulcher

Quite common in the Baihualing area, one of the easy to ID phylo's

113. Ashy-throated Warbler - Phylloscopus maculipennis

A total of 15 birds seen at the Baihualing area.

114. Black-faced Warbler - Abroscopus schisticeps ssp: ripponi

27-01 8 ex. in one flock on the way coming down, strange to see them in heavy snow...

115. Chestnut-headed Tesia - Oligura castaneocoronata

25-01 1 ex. showing well at one of the hides.



A very hard bird to get a still from with a camera of mine...

116. Black-throated Tit - Aegithalos concinnus

27-01 10 ex. in one flock near the summit.

117. Black-browed Tit - Aegithalos bonvaloti

The commonest tit in the forests, in big flocks.

118. Fire-tailed Myzornis - Myzornis pyrrhoura

26+27-01 4 ex seen very well and found on sound (very high pitched),

in a little flock showing quite well.



The best "the driver" could make of these flitting birds.

119. Golden-breasted Fulvetta – Lioparus chrysotis

24-01 4 ex. in one small flock on the summit walk

120.*WHITE-BROWED FULVETTA - Fulvetta vinipectus

The commonest Fulvetta seen in small flocks almost daily in the visited mountains areas.

121.*Streak-Throated Fulvetta - Fulvetta m. ssp: manipurensis

27-01 5 ex. in one flock common the way down from the summit.

122. Spectacled Fulvetta - Fulvetta ruficapilla ssp: sordidior

21-01 4 ex. in a small flock near Lijiang.

123.*SPOT-BREASTED PARROTBILL - Paradoxornis guttaticollis

24-01

7 ex. in a small noisy flock near the village we stayed. Great





Great views, both pic's by our driver.

124.*BROWN-WINGED PARROTBILL - Sinosuthora brunnea

25-01 1 ex. coming down at one of the feeders. Nice views of the pinkish throat and breast..



It needs a proper camera to photograph this always on the move bird.

125. White-collared Yuhina - Yuhina diademata

Quite common in the Deqen and Lijiang area.

126. Stripe-throated Yuhina – Yuhina gularis

Common in the Degen area, mixed in with White-collared.

127. Whiskered Yuhina - Yuhina flavicollis

Common in the Baihualing area.

128. Rufous-vented Yuhina – Yuhina occipitalis

Common in the Baihualing area.

129. Oriental White-eye - Zosterops palpebrosus

Common in the Baihualing area and in the city park of Nujiang.

130. Streak-breasted Scimitar Babbler - Pomatorhinus ruficollis ssp: similis

21-01 4 ex. near Lijiang.

25-01 4 ex. at Baihualing near the feeders.

131. Black-streaked Scimitar-babbler - Pomatorhinus gravivox ssp: decarlei

20-01 1 seen very well hopping around near a parking lot at MSM.

132. *Cachar Wedge-billed (Chevron-breasted) Babbler - Sphenocichla roberti

24-01 7 ex. in small flock on the summit walk, giving extreme good

views. Very noisy birds.



Great views of birds coming into tape

133. Rusty-capped Fulvetta – Schoeniparus brunneus

Quite common in the Baihualing area, sometimes in small flocks.



134. Rufous-winged Fulvetta – Schoeniparus castaneceps

21-01 1 ex. near Lijiang area, just after seeing the Biet's.

135. Yunnan (Grey-cheeked) Fulvetta - Alcippe morrisonia ssp: yunnanensis

Quite common in small flocks in the Baihualing area.

136. *Spot-throated Babbler - Pellorneum albiventre

23-01 1 ex at one of the feeders of Baihualing, stubby "plump"

warm colored babbler.

137. <u>Himalayan Cutia – Cutia nipalensis</u>

23-01

2 ex. giving nice views feeding on the branches on the summit



Later the two turned out to be three..

138.*BIET'S (WHITE-SPECKLED_ LAUGHINGTHRUSH - lanthocincla bieti

21-01 1 ex. near Lijiang area, one bird found after three hours of searching on call near a steep gully. With a lot of effort we found the bird in view and could see it for minutes calling from a tree. Almost the bird of the trip. Location not in the report because of risk for birds being captured.



Yessss, the best Laugher there is in full view.

139. Giant Laughingthrush – Garrulax maximus

A total of 21 seen in the Degen part of the trip

140.* MOUSTACHED LAUGHINGTHRUSH – Garrulax cineraceus

24-01 1 ex. seen well, by himself at the beginning on the summit walk solitaire feeding low down near the path. Moustache seen very well.

141. White-throated Laughingthrush – Garrulax albogularis

18-01 2 ex. seen at a short birding stop along the way.

142.*SCALY LAUGHININGTHRUSH - Garrulax subunicolor

26-01 1 ex. seen very well in flight in a flock Assam Laughingth. Very dark with scaling and a white outertailendging.

143. Black-faced Laughingthrush – Trochalopteron affine ssp: oustaleti

A total of 20 seen in different flocks encountered during the trip

144. Elliot's Laughingthrush – Trochalopteron elliotii

The commonest laughingthrush encountered.

145.*Red-tailed Laughingthrush – Trochalopteron milnei

A total of 17 seen at the feeders in Baihualing, in small flocks.

146.* Assam Laughingthrush - Trochalopteron chrysopterum ssp: woodi

A total of 30 seen in flocks at Baihualing.

147.Long-tailed Sibia – Heterophasia picaoides

23-01 15 ex. in a valley in Baihualing, surprisingly only on that date?

148. Beautiful Sibia - Malacias pulchellus

Common at Baihualing in big noisy flocks.

149.*BLACK-HEADED SIBIA - Malacias desgodinsi ssp: desgodinsi

Common in Baihualing in small flocks mostly at the feeders.



Easy to photograph..

150.*Grey Sibia – Malacias gracilis

19-01 2 ex. at the Tibetan village. Nice greenish undertailcoverts, hunting at the edge of a low tree forest at 3000 meter.

151. Red-billed Leiothrix - Leiothrix lutea

152. Bar-throated Minla - Chrysominla strigula

A total of 33 seen in the Baihualing area.



Great colorful birds..

153. Red-tailed Minla – Minla ignotincta

Common in the Baihualing area, in small flocks at the feeders.



 ${\it Minla's (Red-tailed \ and \ Blue-winged), \ Rusty-capped \ Fulvetta \ and \ Brown-winged \ Parrotbill, \ what \ a \ scenery...}$

154. Blue-winged Siva – Siva cyanouroptera

A total of 31 seen mainly in the Baihualing area, but also in the Lijiang area.

155.*Scarlet-faced Liocichla – Liocichla ripponi

23-01

2 ex. at the feeders giving great views.



Nice views and photo opportunities..

156. Streak-throated Barwing - Actinodura waldeni ssp: saturatior

25-01 2 ex. seen well near an old building at Baihualing

See: http://observado.org/waarneming/view/114231862

157. Rusty-Fronted Barwing – Actinodura egertoni

Common in small flocks in the Baihualing area.

158. Goldcrest - Regulus regulus

21+22-01 6 ex. in the city park near Lijiang.

159.* Hume's (Manipur) Treecreeper – Certhia (manipurensis) shanensis

26-01 2 ex. seen well in another valley in the Baihualing area. Seen well with a brown throat area an no barred tail.

160.Bar-Tailed Treecreeper – Certhia himalayana

22-01 1 ex. seen very well with a barred tail in the city park at Baihualing.

161. Chestnut-vented Nuthatch – Sitta nagaensis

The common nuthatch, seen on many places, most common in the Lijiang area.

162.*YUNNAN NUTHATCH - Sitta yunnanensis

22-01 1 ex. seen very well, in song in the city park at Lijiang, small all white on the underparts. See: http://observado.org/waarneming/view/115706299



One of the most wanted for this trip, it took us a few hours to find it...

163. Wallcreeper – Tichodroma muraria

19+20-01 2 ex. at a small crack seen while passing it twice, great views.

164. Eurasian Wren - Troglodytes

26-01 1 ex. seen well at the summit (3000 meter)

165. Rufous-bellied Niltava - Niltava sundara

25-01 2 ex (a pair). Seen very well at one of the feeders at Baihualing.





Great colors these Niltava's

166. Large Niltava - Niltava grandis

A total of 6 seen in the Baihualing area, giving great views.

167. White-browed Shortwing - Brachypteryx hyperythea

25-01 2 female types at the hides at Baihualing

168.*GOULD'S SHORTWING - Heteroxenicus stellatus

23-01 3 ex. near mountain streams in one of the valley's of

Baihualing

25-01 1 ex. seen extremely well at one of the hides of Baihualing.

The birds species of the trip, also heard the high pitched song. They were easy to found because of coming into the tape but almost always stayed in cover. See:

http://observado.org/waarneming/view/114134963

http://observado.org/waarneming/view/114134964

http://observado.org/waarneming/view/114183814





Two of the birds seen on 23-01 by Menxiu



The bird of the feeder, left Menxiu ,right by myself.

169. Slaty-backed Forktail – Enicurus schistaceus

23-01 1 ex. in one of the valleys in the Baihualing area, seen well.

170. Spotted Forktail – Enicurus maculates

23-01 1 ex. seen near a mountain stream visited. Also heard.

171.* WHITE-BROWED BUSH ROBIN – Tarsiger indicus ssp: yunnanensis

26-01 1 female type, feeding in the open on the road. Good views out in the open.

172. Golden Bush Robin - Tarsiger chrysaeus

A total of 6, all female or first winter (with orange tailsides) birds seen at the feeders of Baihualing.

173. Himalayan Bluetail - Tarsiger rufilatus

Quite common at the feeders in Baihualing and along the mountain roads, the commonest "robin" recorded.

174.*RUFOUS-BREASTED BUSH ROBIN – Tarsiger hyperythrus

26-01 1 male giving superb views near the summit (3000 meters).

This was the first record for the area and making this trip a Robin's fest trip..

See: http://observado.org/waarneming/view/114238787



"The other" Bluetail, and Golden Bushrobin at the feeders of Baihualing.



Rufous-Breasted and White-Browed Bush Robin, both new for me.

175. Rufous-gorgetted Flycatcher - Ficedula strophiata

A total of 9 birds seen around the feeders at Baihualing, giving great views.



Common but still a cracker tot see..

176. Chinese Flycatcher - Cyornis glaucicomans

23-01 1 male seen very well (with the orange throat) near the village we stayed.

177. Blue-fronted Redstart - Phoenicurus frontalis

Seen almost daily in the Lijiang and Baihualing area in low numbers.

178. White-throated Redstart – Phoenicurus schisticeps

The common redstart at high elevations (3000 meters), and therefore very common around the Tibetan village.

179. Hodgson's Redstart - Phoenicurus hodgsoni

18-01 2 ex. seen along the road at Deqen.

21-01 1 ex. near Lijiang.

180. Daurian Redstart - Phoenicurus auroreus

28-01 5 ex. in the city park of Nujiang, also some males.

181. White-capped Water Redstart - Chaimarrornis leucocephalus

21-01 1 male in the city park of Lijiang

182. Chestnut-bellied Rock Thrush - Monticola rufiventris

A total of 5 seen in the Baihualing area, also a spectacular looking female.

183. Eastern (Stejneger's?) Stonechat – Saxicola maurus ssp: stejnegeri

22-01 1 male seen while stopping (and getting out of the car) in a traffic jam, along the way. A quite pale individual, matching Stejneger's.

184. Grey Bushchat – Saxicola ferreus

Common in the Baihualing area.

185. Long-tailed Thrush – Zoothera dixoni

again after so many years.

23-01

1 ex. seen very well on the road. Great to see this species



A "Back of camera" of the bird in the morning on the road, photo by Menxiu

186.*HIMALAYAN FOREST THRUSH – Zoothera salimalii

23-01 2 ex. seen well,

27-01 1 ex. seen very well near an old barn in the Baihualing area. A

big thrush with dark upperparts with no wingbars. Also the spots on the underparts where more concentrated on the underbreast, like a breastband. Great to see this newly described species. The news of its discovery got out while we were out in the Yunnan field. See:

http://observado.org/waarneming/view/114134962

http://observado.org/waarneming/view/114238788

187.*Black-breasted Thrush – Turdus dissimilis

23-01 2 female types seen at one of the feeders in Baihualing.



 ${\it Great\ views\ of\ this\ not\ Holarctic\ thrush.}$

188. Kessler-s Thrush – Turdus Kessleri

18-01

40 ex. in one flock at one of the high passes, crossed that day,

in one flock.



Biet's Laughingthrush in a cage, therefore the location is not given in this report, but please contact me.



 ${\it Happy man in Yunnan, but also coming back when twitching the Rubythroat.}.$
