

# Peninsular Malaysia

21 september – 5 oktober 2022



## Introduction

Having birded in Thailand extensively the last couple of years I was eager to explore another South-East Asian country nearby while my wife could visit her family. Peninsular Malaysia was an easy choice due to its proximity, ease of travel and its mouthwatering array of species.

Stefan Masure decided to join me and together we settled for a 2 week trip that covered the key habitats on the peninsula; the mangroves of Kuala Selangor, the montane forests of Bukit Fraser and Bukit Tinggi and the steaming lowland forests of Taman Negara. My initial plan was to include Panti Bird Sanctuary as well, but eventually we left it out of the itinerary, spending more time at Taman Negara.

We had a great trip which resulted in 248 species of bird and some amazing mammal and herp encounters.

For info contact: [sinojanssens@hotmail.com](mailto:sinojanssens@hotmail.com)

**Highlights:** Malayan Partridge, Malayan and Mountain Peacock-Pheasant, Large Green-Pigeon, Short-toed Coucal, Gould's Frogmouth (HO), Blyth's Hawk-Eagle, Reddish Scops-Owl (HO), Red-naped and Scarlet-rumped Trogon, White-crowned, Helmeted, Great and Black Hornbill, Rufous-backed Dwarf-Kingfisher, Rufous-collared and Banded Kingfisher, Orange-backed, Buff-necked, Buff-rumped and Crimson-winged Woodpecker, Green, Long-tailed, Black-and-red, Banded and Black-and-yellow Broadbill, Garnet and Hooded Pitta, Black-and-crimson Oriole, Maroon-breasted Philentoma, Crested Shrikejay, Common Green-Magpie, Scaly-breasted and Straw-headed Bulbul, Black and Malayan Laughingthrush, all the babblers, Silver-eared Mesia, Blue Nuthatch, Malaysian Blue Flycatcher, Malayan Whistling-Thrush, Pin-tailed Parrotfinch.

**Missed targets:** Crested Partridge, Malay Crestless Fireback, Great Argus, Jambu Fruit-Dove, Cinnamon-rumped and Diard's Trogon, Rhinoceros, (HO doesn't really count for hornbills imo...), Bushy-crested and Wrinkled Hornbill, Giant and Rusty-naped Pitta, Malaysian Rail-babbler, Black-and-white Bulbul, Large and Marbled Wren-Babbler, Mangrove Blue Flycatcher, Scarlet-breasted Flowerpecker.

Some missed goodies like Malay Crested Fireback, Ferruginous Partridge and Malay Banded Pitta are not listed here since I've seen them before.

### **Itinerary**

21-22 sept: Brussels – Qatar – Bangkok – Kuala Lumpur

23 sept: Kuala Selangor

24-26 sept: Bukit Fraser

27sept – 2 okt: Taman Negara

3-4 okt: Bukit Tinggi

5 okt: Kuala Lumpur – Bangkok

### **Practicalities**

#### **Accommodation**

Generally we were a little disappointed with the state of the resorts. Owners are clearly reluctant to invest in their properties and maintenance is not what it should be.

**Kuala Selangor:** De Palma Resort: good location in a green environment, well maintained bungalows, 5 minutes' drive to the Selangor nature park.

**Bukit Fraser:** Shahzan Inn: the go-to place according to other trip reports. We found this place very outdated and ill maintained. Probably the worst room of the trip, location however is excellent. Next to the hotel is a small shop from a local bird guide, a very nice and helpful guy!

**Taman Negara:** To keep our budget under control we spent the first 3 nights in the very basic but clean Hana Guesthouse in Kuala Tahan, taking the ferry each morning to the national park. Our last 3 nights here we stayed in the beautiful but pricy Mutiara Resort at the park HQ, ideally located for early morning / late night birding / herping / mammalling or whatever floats your boat. The Mutiara restaurant is very expensive compared to those on the other side of the river.

**Bukit Tinggi:** Colmar Tropicale: a weird looking replica of the French village Colmar that serves as hotel / attraction for the locals, not my cup of tea. Room was ok-ish but lacked a balcony. Very well located however if you want to go up the mountain early for the peacock-pheasant. (you don't have to pass the first two checkpoints on the entrance road)

### **Transport**

We rented a Proton Saga with Paradise Car Rental, we didn't encounter any problems apart from a punctured tire in Kuala Selangor, but 10 minutes and 2.5 euros later we were back on our way. Roads were generally of very good quality and car rental is cheap in Malaysia. Especially in Bukit Fraser a car is required to visit all the spots, unless you are prepared to walk very long distances, so it was an easy choice to rent our own transportation.

### **Weather and timing**

After reading horror reports about this time of year of people slogging through the mud, getting rained out for days and roads getting washed away I was a bit worried before we left. We had good weather though most of the time. Apart from a couple of afternoon and evening showers in Taman Negara and Bukit Tinggi we barely had any rain. Temperatures were pleasant all day in the hills and hot and humid in the lowlands. As could be expected not many birds were vocal at this time of the year, however, with the migration season ongoing some interesting sightings were made.

### **Literature and bird sounds**

We used the softcover Birds of Malaysia from Lynx and BirdLife International Field Guides Collection. A fine and up to date reference.

Many good trip reports are available at [cloudbirders.com](http://cloudbirders.com). Our Itinerary was loosely based on Alex Berryman's report.

Stefan bought Malaysia bird sounds by Peter Boesman, which saved us a lot of time from looking everything up on Xeno Canto ourselves. Most recordings were of good quality, some had some very bad background noise and were not usable for playback.

### **Detailed itinerary**

**22 sept:** Arrival at KLIA in the evening, car pickup and drive to Kuala Selangor. Close to the hotel my first great herp sighting happened already, a Banded Krait on the road! A late night beer run was unsuccessful. (beer was scarce and not readily available in resorts (apart from the Mutiara, at a ridiculous price). Most seven eleven shops and Chinese / Indian owned convenience shops did sell a small selection of beers I later found out)

**23 sept:** We arrived at Kuala Selangor nature park at dawn and started exploring the area, slowly making our way to the mangrove boardwalk. Collared Kingfisher, Common Flameback, Brown-throated Sunbird, Abbot's Babbler and other common species were encountered along the way. The boardwalk itself provided us with a nice flock of mangrove specialists like Cinereous Tit, Mangrove Whistler, Golden-bellied Gerygone, Sunda Pygmy Woodpecker, Ashy Tailorbird and Pied Triller amongst others. On the mudflats of the estuary we found Lesser Adjutant which gave distant views. Good migrants encountered were a Japanese Sparrowhawk, Amur Paradise-flycatcher and a female Yellow-rumped Flycatcher. The very localized *selangorensis* subspecies of Silvery Leaf Monkey is quite habituated here and can be found around the entrance of the nature park, alongside the more common Long-tailed Macaques.



Viewing platform over the mangroves at Kuala Selangor nature park

In the afternoon we visited another ebird hotspot nearby, Sungai Buloh harbor, where we found a heronry of Black-crowned Night-Heron but not much else of note. At dusk we returned to the boardwalk and watched the sun set from the viewing tower. Flocks of Brahminy Kite, Pink-necked Green-Pigeon, Blue-tailed Bee-eater and a single Changeable Hawk-Eagle were seen returning to their roosting sites. On the way back after dark several Large-tailed Nightjars were seen hawking over the tidal pools. A night walk in the mangroves and scrub close to the resort got me a new mammal lifer: a family of Smooth-coated Otters was playing on the bank of the canal, and a Savannah Nightjar was flushed from the road.

**24 sept:** We returned to the boardwalk to try one more time for Mangrove Blue Flycatcher but were unsuccessful. Drive to Bukit Fraser where we arrived early afternoon. We drove the famous Telekom Loop and were not disappointed! Several great flocks were encountered along the way containing targets like Fire-tufted Barbet, Black-and-crimson Oriole, Common Green-Magpie, Red-headed Trogon,



Blue Nuthatch, Sultan Tit and Mountain Fulvetta. We were extremely lucky with mammals as well, with both Mainland Serow and Asian Golden Cat showing beautifully on the road. A short evening walk at Kindersley trail got us a stubborn heard only Mountain Scops-Owl that refused to show itself.

**25 sept:** In the morning we combined Hemmant, Bishop and Maxwell trails to look for more skulking species, but birding here was hard work. Bishop and especially Maxwell trails had terrible visibility and were quite overgrown, making it hard to move quietly. Eventually White-tailed Robin, Rufous-browed Flycatcher, Buff-breasted Babbler and Red-headed Trogon gave themselves up. No sign of Rusty-Naped Pitta unfortunately... When having a coffee at the Smokehouse the friendly waiter showed us the place to see Malayan Partridge on the map, our target for this afternoon. Together with some local photographers we patiently waited at a small gravel patch at Richmond bungalow. After 30 minutes a flock of 7 partridges showed extremely well, our first endemic was in the bag!



Malayan Partridge at Richmond bungalow, Bukit Fraser

Another drive around Telekom Loop added some good new species to our list, including Ferruginous Flycatcher, Orange-bellied Leafbird, Black-thighed Falconet and Maroon Woodpecker.

An evening walk at Hemmant trail got us a Brown Wood-Owl and a huge Dog-Toothed Cat Snake.

**26 sept:** Today we planned to explore the lower elevations around the Gap and slowly work our way up the old road. The bird guide / shop owner at the hotel tipped us about Pin-Tailed Parrotfinches that were present in the bamboo stands around the toilet blocks at the Gap, so off we went. Extensive searching resulted in 1 quick fly-by only seen by me, damn! Good birds seen at the lowest elevations were Black Laughingthrush, Red-billed Malkoha, Wreathed Hornbill, Buff-necked Woodpecker and a stunning Crested Shrikejay, a longtime target of mine.

The star of the drive back up was unfeathered however, suddenly we found ourselves between 2 groups of Siamang singing their lungs (or throat pouch) out. After some hide and seek we had good views of these beautiful endangered apes. Back at the top we walked Hemmant trail once more, with no new additions but a Blyth's Shrike-Babbler to show for. I was getting worried we would dip Malayan Laughingthrush, so off to the kind shop owner we went for info. After no more than 30 seconds waiting at the spot he told us about, 2 laughingthrushes popped up from the dense undergrowth. (look for a small stream next to the road near the Fraser public campsite)



Malayan Laughingthrush, another Peninsula endemic


Late afternoon we waited at a viewpoint on the new road, hoping for the according to ebird "common" Rhinoceros Hornbill to make an appearance, guess what, it didn't. What did however was a very unexpected, but very welcome male Helmeted Hornbill flying over the valley!

**27 sept:** This was our last morning at Bukit Fraser, and we had one endemic remaining here: Malayan Whistling-Thrush. I found a recent report from Mager trail, so we decided to try our luck there. A bird responded to playback about 300m in the trail but refused to come into view, remaining a heard only on our lists until now...

On our way back to the car we finally found a couple of Silver-eared Mesia, another “high” altitude specialist and a big target for Stefan. A last Telekom Loop drive got us a flock of Long-tailed Broadbill. Descending the new road we bumped into a large group of Southern Pig-tailed Macaques.

We left for Taman Negara and arrived in Kuala Tahan 4 hours later. Eager to explore the park we took the ferry and spent the last hours of daylight at swamp loop and Tahan hide. Swamp loop produced our first Orange-backed Woodpecker, White-crowned Forktail and Black-throated Babbler of the trip, while Tahan hide gave excellent views on a fruiting ficus tree in which a real feeding frenzy was going on! Carefully scanning the tree we found Blue-crowned Hanging-Parrot, Thick-billed Green-Pigeon, Asian Fairy-bluebird, a stunning male Green Broadbill and no less than 5 species of bulbul; Puff-backed, Black-headed, Cream-vented, Hairy-backed and Ochraceous. The only Rufous Piculet of the trip foraged in a tree right next to the hide. We waited in the hide till after dark and saw a Wild Boar visiting the clay lick, then walked swamp loop looking for nocturnal species but got rained out soon after.

**28 sept:** A very long (both in time and distance) but rewarding day which started back at Tahan hide with the same cast as yesterday present, with the addition of a single Scaly-breasted Bulbul, what a beauty! We then followed the Tembeling river up to the canopy walkway and added Chestnut-breasted Malkoha, Black-and-yellow Broadbill, Black-winged Flycatcher-shrike, Buff-rumped and Crimson-winged Woodpecker, and a very skulky Black-capped Babbler to our list. The afternoon was spent exploring Tahan trail all the way up to Tabing hide, this beautiful trail along the Tahan river became my favorite trail of the park. As afternoons go in the tropics, birding was a bit slow but the quality of the birds we found made that right. Point blank views of a very obliging Rufous-backed Dwarf-Kingfisher and a couple of Black-and-red Broadbills made up for the liters of sweat lost. Taman Negara can safely be called the babbler capital of the world with Chestnut-winged, Black-throated, Sooty-capped, Rufous-crowned, Moustached, White-chested and Abbott's all putting up a very skulky appearance, true babbler style. Straw-headed Bulbul and Rufous-collared Kingfisher were heard close to Lubuk Simpon but refused to come into view. After hiding in Tabing hide from a heavy afternoon shower we made our way back to the jetty and scanned the canopy from our table at a floating restaurant from which Black Hornbill and Little Green-Pigeon interrupted our dinner. My night walk around Kuala Tahan turned up a Brown Boobook and a very cute baby Reticulated Python.





**29 sept:** We took the boat to the other side of Tahan river where the trail to the famous Blau hide begins. The first kilometer or so is a very steep climb which made us sweat like a horse, even in the “cooler” morning temperature. It is clear this trail is not often visited and plenty of dung proved that elephants often frequent the area, so caution should be taken here. Birding was pretty slow and few new species were seen. When finally reaching the hide I learned why the trail is officially closed; the hide had been smashed by a falling tree, so much for my hoped-for 30 minute reprieve from the rampant leeches...



The destroyed Blau hide...

Good birds found this morning were Red-naped Trogon, Dark-throated Oriole, Rufous-winged Philentoma, Short-tailed Babbler, Orange-backed, Crimson-winged and Banded Woodpecker. A freshly arrived female Siberian Blue Robin was a nice surprise. The best bird of the morning was a Malayan Peacock-Pheasant flushed from the road only 100 meter before returning at the jetty.

The afternoon we relaxed at Lubuk Simpon, hoping for the according to ebird “common” Rhinoceros Hornbill making a fly-by. It didn’t. We did get good views of Black Hornbill, Black-thighed Falconet, Black-and-red Broadbill, Common Hill Myna and a very nice Malaysian Hawk-Cuckoo however.

**30 sept:** We started the morning with swamp loop where after 5 minutes I saw something curious hopping off the boardwalk. Full with anticipation I froze and a few seconds later it hopped back on... pitta! Not the one I was expecting, but a stunning ball of emerald with a dark head; Hooded Pitta! Very excited about this rarely seen beauty we continued to Tahan hide, but activity here was very low.



We continued to the canopy walkway and made the loop back to Mutiara resort, some new additions to our lists included Maroon Woodpecker, Green Iora, Gray-cheeked Bulbul and Ferruginous Babbler. Different from the days before, it got very hot early and activity died with it, after lunch and moving in our room at the Mutiara resort we tried River trail and Lubuk Simpson again for the damn hornbill, but the only new species we found was a Gray-breasted Spiderhunter. An evening walk at swamp loop was quite productive with a calling Reddish Scops-Owl, roosting Rufous-backed Dwarf-Kingfisher (seems to be a resident at the pond / marsh behind the resort) and White-crowned Forktail, a Lesser Mouse-Deer and several snakes.



Poor record shot of the RBDK and a Malayan Bridle Snake

**1 okt:** Walked river trail before dawn and woke up a Chestnut-naped Forktail at one of the small streams, then waited at Lubuk Simpson and heard Straw-headed Bulbul singing its beautiful song but no views again unfortunately. Today the canopy walkway would open again after maintenance so that was the plan at 09:00. When walking back to the resort one of my biggest targets gave itself up in the form of 2 White-crowned Hornbills, the hardest hornbill to see in the area!

Our canopy walkway experience was one I'd like to forget, I had to seriously restrain myself from pushing local tourists who were playing a game of "how to scare away all wildlife in a 5 mile radius" from the boardwalk. Needless to say we didn't see anything of note and this was a total waste of time from a birding perspective, at least the view was nice...

We continued the trail to Bukit Terisek but it was really busy here as well. Jenut Muda trail was much more quiet and birds started to show again. Some good flocks were encountered containing many species of babbler including Chestnut-winged, Chestnut-rumped, Scaly-crowned and Sooty-capped together with more goodies like Raffles's Malkoha, Rufous-winged Philentoma, Spotted Fantail, Yellow-bellied Bulbul and the strangely enough only Black-naped Monarch of the trip. On our way back to the resort a very noisy party of Great Slaty Woodpeckers was a nice addition. During our night walk along river trail we encountered one of my personal highlights of the trip; a gorgeous Red-headed Krait. Unfortunately one minute after this amazing find it started pouring down, ruining our photo shoot of this rarely seen beauty.



Worst moment ever to start raining...

**2 okt:** I decided I would revisit Tabing hide again this morning to try again for galiformes, pitta's and Rail-babbler. River trail proved to be a babbler magnet again, with no less than 13 species observed today, of which Horsfield's and Fluffy-backed Tit-Babbler were new for me. Broadbills were also well represented with Green, Black-and-red, Black-and-yellow and the only Banded Broadbill seen on the trip. A Rufous-collared Kingfisher was flushed on the trail and good views of 2 Crested Shrikejays were had en route to the hide. I tried to tape in Great Argus, Rail-babbler and Garnet Pitta (my top 3 remaining targets) at regular intervals but none were responsive unfortunately. At the hide I had to wait only minutes before good birds started showing up, with Banded Kingfisher, Scarlet-rumped Trogon and Asian Emerald Dove new additions. Lar Gibbons were heard singing in the distance, making the jungle experience complete. Without having my hopes up I played Garnet Pitta once more and finally one answered from the dense



undergrowth, albeit far away. I tried to make my way up there without success. On my way back, much to my delight, another Garnet Pitta was calling, this time about 50 meters from the trail. I slowly made my way through the foliage and after some nerve-racking minutes finally got my eyes on my number 1 target of the trip! (quite a few beers were had that night in celebration)

In the afternoon we decided to check out Hornbill valley ( a large expanse of semi-logged forest on the other side of the Tembeling river with good views over the canopy) to try once again for Rhinoceros Hornbill. Signs were hopeful when we heard one soon after arriving, but after scanning the area for 2 hours and dusk setting in we went back defeated. We did see 2 new species in the process, a White-bellied Woodpecker and a small flock of Fiery Minivet. Our night walk produced a heard only Sunda Scops-Owl and Gould's Frogmouth. I went off trail to get a glimpse of the frogmouth, but the bird went silent and stayed out of sight when I came close.

**3 okt:** For our last morning at Taman Negara we decided to book a (slightly overpriced) boat ride on the Tahan river, confident we could rack up some more species before leaving. You need to specifically charter a boat for yourself early morning, don't book the tourist trip to Lata Berkoh they sell everywhere! These only start from 09:00 and surrounded by other noisy tourists and boats chances of seeing anything good are slim at best. Our ride was a success with Large Green-Pigeon, Malaysian Blue-banded Kingfisher, Stork-billed Kingfisher, Whiskered Treeswift all showing. I finally got decent views of Straw-headed Bulbul and a Short-toed Coucal was a very nice unexpected tick!



We had the river all to ourselves in the early morning



After checking out we made our way up to Bukit Tinggi and checked in at Colmar Tropicale. Mr. Adrian Lim (+60 12 339 9980) was kind enough to provide us the map with the MPP stakeout location.

In the late afternoon we explored the surroundings and checked out the stakeout. New birds included Tiger Shrike, Rufous-bellied Swallow, Orange-bellied Flowerpecker and a Great Hornbill, not a lifer but always a treat to see.

**4 okt:** We arrived at checkpoint 3 at dawn, only to find it locked. (the dodgy looking guard that asked us to leave the area yesterday afternoon might have had something to do with it, as it is supposed to be unlocked normally. Guess he is not fond of birders sneaking in before opening time...) Our only option was to leave the car behind and make the steep 2 km ascend on foot, hoping we wouldn't be too late to see the pheasants. Out of breath we settled behind the hide and after 30 minutes a female Mountain Peacock-Pheasant appeared. Very relieved we didn't dip this fantastic endemic we left the hide to newly arrived birders, we didn't wait for Ferruginous Partridge as we've both seen it in Thailand before.



Conditions were challenging to take a picture, but here is our proof 😊

We then slowly made our way back down the hill, ticking off Gray-rumped Treeswift, Black Eagle, Red-bearded Bee-eater and Sooty Barbet. A family of Siamang, including a baby, was found close to the road at checkpoint 3.



Mother and baby Siamang on the move

In the afternoon we walked the botanical garden area and found a monster of a flock, containing no less than 15 different species! Long-billed Spiderhunter, Large Woodshrike, Bar-winged Flycatcher-shrike, Blyth's Paradise-Flycatcher and the seldom seen Maroon-breasted Philentoma gave us a headache where to look at first.

A serious downpour interrupted the fun but I knew afterwards would be a good time to look for hornbills sitting out in the open drying their feathers. Of course our nemesis was nowhere to be seen, but Wreathed and Helmeted Hornbills did as I suspected and gave prolonged but distant views.

While driving next to the golf course, we finally bumped into the only Red Junglefowl of our trip. It started raining again and therewith our final afternoon birding got concluded.

**5 okt:** We left Bukit Tinggi early morning. Drive back to KLIA to catch our flights.

**Bird list** (Taxonomy by Clements Checklist)

**bold** = lifer

- |  |                                   |
|--|-----------------------------------|
| 1. <b>Malayan Partridge</b><br>7 at Richmond bungalow, BF          | <i>Arborophila campbelli</i>      |
| 2. <b>Malayan Peacock-Pheasant</b><br>1 at Blau trail, TN          | <i>Polyplectron malacense</i>     |
| 3. <b>Mountain Peacock-Pheasant</b><br>1 at known stakeout, BT     | <i>Polyplectron inopinatum</i>    |
| 4. Red Junglefowl<br>1 at BT                                       | <i>Gallus gallus</i>              |
| 5. Rock Pigeon<br>Common at cities                                 | <i>Columba livia</i>              |
| 6. Red Collared-Dove<br>1 en route to airport                      | <i>Streptopelia tranquebarica</i> |
| 7. Spotted Dove<br>Common  | <i>Spilopelia chinensis</i>       |
| 8. Little Cuckoo-Dove<br>Common at BF and BT                       | <i>Macropygia ruficeps</i>        |
| 9. Asian Emerald Dove<br>Several at TN                             | <i>Chalcophaps indica</i>         |
| 10. Zebra Dove<br>Common   | <i>Geopelia striata</i>           |
| 11. <b>Little Green-Pigeon</b><br>20+ at fruiting tree Mutiara, TN | <i>Treron olax</i>                |
| 12. Pink-necked Green-Pigeon<br>Common at KS                       | <i>Treron vernans</i>             |
| 13. Thick-billed Green-Pigeon<br>Common at TN                      | <i>Treron curvirostra</i>         |
| 14. <b>Large Green-Pigeon</b><br>2 small flocks at TN              | <i>Treron capellei</i>            |



- |   |                                    |
|---|------------------------------------|
| 15. Mountain Imperial-Pigeon<br>1 at Telekom loop, BF<br>1 at the Gap rd, BF          | <i>Ducula badia</i>                |
| 16. <b>Short-toed Coucal</b><br>1 at Tahan river boatride, TN                         | <i>Centropus rectunguis</i>        |
| 17. Raffles's Malkoha<br>several at TN  | <i>Rhinortha chlorophaea</i>       |
| 18. <b>Red-billed Malkoha</b><br>1 at the Gap rd, BF                                  | <i>Zanclostomus javanicus</i>      |
| 19. Chestnut-breasted Malkoha<br>Common at TN   | <i>Phaenicophaeus curvirostris</i> |
| 20. Chestnut-bellied Malkoha<br>1 at KS   | <i>Phaenicophaeus sumatranus</i>   |
| 21. <b>Black-bellied Malkoha</b><br>Uncommon at TN                                    | <i>Phaenicophaeus diardi</i>       |
| 22. Green-billed Malkoha<br>Common  | <i>Phaenicophaeus tristis</i>      |
| 23. <b>Brush Cuckoo</b><br>2 at Tahan hide, TN  | <i>Cacomantis variolosus</i>       |
| 24. <b>Dark Hawk-Cuckoo</b><br>1 at the new rd, BF                                    | <i>Hierococcyx bocki</i>           |
| 25. <b>Malaysian Hawk-Cuckoo</b><br>2 at Lubuk Simpon, TN<br>1 at Hornbill valley, TN | <i>Hierococcyx fugax</i>           |
| 26. <b>Gould's Frogmouth</b><br>1 HO at river trail, TN                               | <i>Batrachostomus stellatus</i>    |
| 27. Large-tailed Nightjar<br>3 at KS  | <i>Caprimulgus macrurus</i>        |
| 28. Savanna Nightjar<br>1 at KS   | <i>Caprimulgus affinis</i>         |

29. Silver-rumped Needletail Several at TN 1 at BT	<i>Rhaphidura leucopygialis</i>
30. <b>Plume-toed Swiftlet</b> Common at BF, BT	<i>Collocalia affinis</i>
31. <b>Black-nest Swiftlet</b> Nesting at Colmar Tropicale, BT	<i>Aerodramus maximus</i>
32. Germain's Swiftlet Common	<i>Aerodramus germani</i>
33. Pacific Swift 1 at BT	<i>Apus pacificus</i>
34. Gray-rumped Treeswift 2 at BT	<i>Hemiprocne longipennis</i>
35. <b>Whiskered Treeswift</b> 1 at Tahan river boatride, TN	<i>Hemiprocne comata</i>
36. Common Sandpiper 2 at KS	<i>Actitis hypoleucos</i>
37. Whiskered Tern Several at KS	<i>Chlidonias hybrida</i>
38. Lesser Adjutant 2 at KS	<i>Leptoptilos javanicus</i>
39. Painted Stork 1 at KS	<i>Mycteria leucocephala</i>
40. Gray Heron Common at KS	<i>Ardea cinerea</i>
41. Purple Heron 1 en route to airport	<i>Ardea purpurea</i>
42. Intermediate Egret Several at KS	<i>Ardea intermedia</i>

43. Little Egret Common at KS	<i>Egretta garzetta</i>
44. Cattle Egret Several at KS	<i>Bubulcus ibis</i>
45. Striated Heron Common at KS 1 at TN	<i>Butorides striata</i>
46. Black-crowned Night-Heron Common at Sungai Buloh, KS	<i>Nycticorax nycticorax</i>
47. Crested Serpent-Eagle 2 at KS	<i>Spilornis cheela</i>
48. Blyth's Hawk-Eagle 1 at BF	<i>Nisaetus alboniger</i>
49. Changeable Hawk-Eagle 1 at KS 1 at BT	<i>Nisaetus cirrhatus</i>
50. <b>Black Eagle</b> 1 at BT	<i>Ictinaetus malaiensis</i>
51. Crested Goshawk 1 at KS	<i>Accipiter trivirgatus</i>
52. <b>Japanese Sparrowhawk</b> 1 at KS	<i>Accipiter gularis</i>
53. Brahminy Kite Common at KS	<i>Haliastur indus</i>
54. <b>Reddish Scops-Owl</b> 1 HO at swamp loop, TN	<i>Otus rufescens</i>
55. Mountain Scops-Owl 1 HO at BF	<i>Otus spilocephalus</i>
56. <b>Sunda Scops-Owl</b> 1 HO at river trail, TN	<i>Otus lempiji</i>



57. Brown Wood-Owl 1 at Hemmant trail, BF	<i>Strix leptogrammica</i>
58. Brown Boobook 1 HO at swamp loop, TN 1 at Kuala Tahan, TN	<i>Ninox scutulata</i>
59. <b>Red-naped Trogon</b> 1 at Blau trail, TN	<i>Harpactes kasumba</i>
60. Scarlet-rumped Trogon 2 at Tabing hide, TN 1 at river trail, TN	<i>Harpactes duvaucelii</i>
61. Red-headed Trogon Several at BF	<i>Harpactes erythrocephalus</i>
62. Orange-breasted Trogon 1 at BT	<i>Harpactes oreskios</i>
63. <b>White-crowned Hornbill</b> 2 at river trail, TN	<i>Berenicornis comatus</i>
64. <b>Helmeted Hornbill</b> 1 at new rd, BF 2 at BT	<i>Buceros vigil</i>
65. <b>Rhinoceros Hornbill</b> HO at Hornbill valley, TN	<i>Buceros rhinoceros</i>
66. Great Hornbill 2 at BT	<i>Buceros bicornis</i>
67. <b>Black Hornbill</b> Seen almost daily at TN	<i>Anthraceroceros malayanus</i>
68. Oriental Pied-Hornbill 2 at KS	<i>Anthraceroceros albirostris</i>
69. Wreathed Hornbill 6 at new rd, BF 2 at BT	<i>Rhyticeros undulatus</i>
70. Malaysian Blue-banded Kingfisher	<i>Alcedo peninsulæ</i>

3 at Tahan river boatride, TN

71. **Rufous-backed Dwarf-Kingfisher**

2 at river trail, TN

1 at Mutiara, TN

*Ceyx rufidorsa*

72. Banded Kingfisher

1 at Tabing hide, TN

*Lacedo pulchella*

73. Stork-billed Kingfisher

1 at Tahan river boatride, TN

*Pelargopsis capensis*

74. White-throated Kingfisher

Common

*Halcyon smyrnensis*

75. Collared Kingfisher

Common at KS

*Todiramphus chloris*

76. **Rufous-collared Kingfisher**

1 at river trail, TN

*Actenoides concretus*

77. Red-bearded Bee-eater

2 at BT

*Nyctyornis amictus*

78. Blue-tailed Bee-eater

common at KS

*Merops philippinus*

79. Dollarbird

1 at KS

*Eurystomus orientalis*

80. Sooty Barbet

Several at BT

*Caloramphus hayii*

81. Coppersmith Barbet

Common at KS

*Psilopogon haemacephalus*

82. Blue-eared Barbet

1 at BT

*Psilopogon duvaucelii*

83. **Fire-tufted Barbet**

Common at BF

*Psilopogon pyrolophus*

84. Red-throated Barbet

1 at BT

*Psilopogon mystacophanos*

85. Yellow-crowned Barbet 1 at Telekom loop, BF	<i>Psilopogon henricii</i>
86. Lineated Barbet 1 at KS	<i>Psilopogon lineatus</i>
87. Golden-throated Barbet 1 at BF	<i>Psilopogon franklinii</i>
88. Gold-whiskered Barbet HO at the Gap, BF	<i>Psilopogon chrysopogon</i>
89. <b>Black-browed Barbet</b> Common at BF 1 at BT	<i>Psilopogon oorti</i>
90. Rufous Piculet 1 at Tahan hide, TN	<i>Sasia abnormis</i>
91. Sunda Pygmy Woodpecker Several at KS	<i>Yungipicus moluccensis</i>
92. Maroon Woodpecker 1 at Telekom loop, BF 2 at swamp loop, TN	<i>Blythipicus rubiginosus</i>
93. <b>Orange-backed Woodpecker</b> Seen almost daily at TN	<i>Reinwardtipicus Validus</i>
94. Greater Flameback 3 at KS	<i>Chrysocolaptes guttacristatus</i>
95. <b>Buff-necked Woodpecker</b> 2 at the Gap rd, BF 1 at TN	<i>Meiglyptes tukki</i>
96. Buff-rumped Woodpecker 1 at TN 1 at BT	<i>Meiglyptes tristis</i>
97. Common Flameback 2 at KS	<i>Dinopium javanense</i>

98.	Lesser Yellownape 2 at Telekom loop, BF	<i>Picus chlorolophus</i>
99.	<b>Crimson-winged Woodpecker</b> Seen daily at TN	<i>Picus puniceus</i>
100.	<b>Banded Woodpecker</b> 1 at Blau trail, TN	<i>Chrysophlegma miniaceum</i>
101.	Great Slaty Woodpecker 3 at forest loop, TN	<i>Mulleripicus pulverulentus</i>
102.	White-bellied Woodpecker 1 at Hornbill valley, TN	<i>Dryocopus javensis</i>
103.	Black-thighed Falconet 1 at BF Seen almost daily at TN 3 at BT	<i>Microhierax fringillarius</i>
104.	Blue-crowned Hanging-Parrot Common at TN	<i>Loriculus galgulus</i>
105.	Green Broadbill 2 at Tahan hide, TN 1 at river trail, TN	<i>Calyptomena viridis</i>
106.	Long-tailed Broadbill 8 at Telekom loop, BF	<i>Psarisomus dalhousiae</i>
107.	Black-and-red Broadbill Several at river trail, TN 1 at Tabing hide, TN	<i>Cymbirhynchus macrorhynchos</i>
108.	Banded Broadbill 1 at river trail, TN	<i>Eurylaimus javanicus</i>
109.	Black-and-yellow Broadbill Common at TN	<i>Eurylaimus ochromalus</i>
110.	<b>Garnet Pitta</b> 1 HO at Tabing hide, TN 1 at river trail, TN	<i>Erythropitta granatina</i>



111.	<b>Hooded Pitta</b> 1 at swamp loop, TN	<i>Pitta sordida</i>
112.	Golden-bellied Gerygone Several HO at KS	<i>Gerygone sulphurea</i>
113.	<b>Fiery Minivet</b> 3 at Hornbill valley, TN	<i>Pericrocotus igneus</i>
114.	Gray-chinned Minivet Several at BF and BT	<i>Pericrocotus solaris</i>
115.	Scarlet Minivet Several at TN and BT	<i>Pericrocotus speciosus</i>
116.	Large Cuckooshrike 1 at Telekom loop, BF	<i>Coracina macei</i>
117.	<b>Pied Triller</b> 1 at KS	<i>Lalage nigra</i>
118.	White-browed Shrike-Babbler 1 at Hemmant trail, BF	<i>Pteruthius aeralatus</i>
119.	<b>Black-eared Shrike-Babbler</b> 1 at Hemmant trail, BF	<i>Pteruthius melanotis</i>
120.	White-bellied Erpornis Several at BF and BT	<i>Erpornis zantholeuca</i>
121.	<b>Mangrove Whistler</b> 1 at KS	<i>Pachycephala cinerea</i>
122.	Dark-throated Oriole 1 at Blau trail, TN	<i>Oriolus xanthonotus</i>
123.	Black-naped Oriole Common at KS	<i>Oriolus chinensis</i>
124.	<b>Black-and-crimson Oriole</b> 3 at Telekom loop, BF	<i>Oriolus cruentus</i>

	1 at Mager trail, BF	
125.	Large Woodshrike 3 at BT	<i>Tephrodornis virgatus</i>
126.	Bar-winged Flycatcher-shrike 2 at Telekom loop, BF	<i>Hemipus picatus</i>
127.	<b>Black-winged Flycatcher-shrike</b> 2 at swamp loop, TN	<i>Hemipus hirundinaceus</i>
128.	<b>Rufous-winged Philentoma</b> Several at TN	<i>Philentoma pyrhoptera</i>
129.	<b>Maroon-breasted Philentoma</b> 2 at BT	<i>Philentoma velata</i>
130.	Common lora 3 at KS	<i>Aegithina tiphia</i>
131.	Green lora 2 at Mutiara, TN	<i>Aegithina viridissima</i>
132.	<b>Spotted Fantail</b> 1 at Mutiara, TN	<i>Rhipidura perlata</i>
133.	Malaysian Pied-Fantail Common at KS	<i>Rhipidura javanica</i>
134.	White-throated Fantail Common at BF	<i>Rhipidura albicollis</i>
135.	Ashy Drongo 1 at KS	<i>Dicrurus leucophaeus</i>
136.	Crow-billed Drongo 1 at BF	<i>Dicrurus annectens</i>
137.	Bronzed Drongo Several at TN 1 at BT	<i>Dicrurus aeneus</i>
138.	Lesser Racket-tailed Drongo	<i>Dicrurus remifer</i>

	Common at BF	
139.	Greater Racket-tailed Drongo Common at TN	<i>Dicrurus paradiseus</i>
140.	Black-naped Monarch 1 at Jenut Muda, TN	<i>Hypothymis azurea</i>
141.	Amur Paradise-Flycatcher 1 at KS	<i>Terpsiphone incei</i>
142.	Blyth's Paradise-Flycatcher Common	<i>Terpsiphone affinis</i>
143.	<b>Crested Shrikejay</b> 1 at the Gap rd, BF 2 at river trail, TN	<i>Platylophus galericulatus</i>
144.	<b>Tiger Shrike</b> 1 at BT	<i>Lanius tigrinus</i>
145.	Brown Shrike 1 at KS	<i>Lanius cristatus</i>
146.	Common Green-Magpie 5 at Telekom loop, BF 1 at Hemmant trail, BF	<i>Cissa chinensis</i>
147.	House Crow Common at KS	<i>Corvus splendens</i>
148.	<b>Slender-billed Crow</b> 2 at Lubuk Simpon, TN	<i>Corvus enca</i>
149.	Large-billed Crow Fairly Common	<i>Corvus macrorhynchos</i>
150.	Gray-headed Canary-Flycatcher 1 at the Gap rd, BF	<i>Culicicapa ceylonensis</i>
151.	Sultan Tit Common at BF 2 at BT	<i>Melanochlora sultanea</i>

152.	<b>Cinereous Tit</b> 1 at KS	<i>Parus cinereus</i>
153.	Common Tailorbird 1 at KS	<i>Orthotomus sutorius</i>
154.	Dark-necked Tailorbird 2 at BT	<i>Orthotomus atrogularis</i>
155.	<b>Ashy Tailorbird</b> Common at KS	<i>Orthotomus ruficeps</i>
156.	<b>Rufous-tailed Tailorbird</b> 2 at Lubuk Simpon, TN	<i>Orthotomus sericeus</i>
157.	Rufescent Prinia 3 at the Gap, BF	<i>Prinia rufescens</i>
158.	Barn Swallow Common	<i>Hirundo rustica</i>
159.	Pacific Swallow Common	<i>Hirundo tahitica</i>
160.	<b>Rufous-bellied Swallow</b> 2 at BT	<i>Cecropis badia</i>
161.	<b>Puff-backed Bulbul</b> 1 at Tahan hide, TN 1 at Mutiara, TN	<i>Brachypodius eutilotus</i>
162.	Black-headed Bulbul 2 at Tahan hide, TN	<i>Brachypodius melanocephalos</i>
163.	Spectacled Bulbul Several at TN	<i>Rubigula erythroptalmos</i>
164.	<b>Scaly-breasted Bulbul</b> 1 at Tahan hide, TN 2 at checkpoint 2, BT	<i>Rubigula squamata</i>
165.	Black-crested Bulbul 1 at the Gap, BF	<i>Rubigula flaviventris</i>



Common at BT

- |      |  |                                 |
|------|--|---------------------------------|
| 166. | <b>Straw-headed Bulbul</b><br>2 HO at river trail, TN<br>4 at Tahan river boatride, TN | <i>Pycnonotus zeylanicus</i>    |
| 167. | Stripe-throated Bulbul<br>1 at the Gap, BF<br>2 at BT                                  | <i>Pycnonotus finlaysoni</i>    |
| 168. | Yellow-vented Bulbul<br>Common   | <i>Pycnonotus goiavier</i>      |
| 169. | Olive-winged Bulbul<br>2 at KS   | <i>Pycnonotus plumosus</i>      |
| 170. | <b>Cream-vented Bulbul</b><br>Several at Tahan hide, TN<br>Several at Mutiara, TN      | <i>Pycnonotus simplex</i>       |
| 171. | Red-eyed Bulbul<br>Common  | <i>Pycnonotus brunneus</i>      |
| 172. | Hairy-backed Bulbul<br>Several at TN   | <i>Tricholestes criniger</i>    |
| 173. | Yellow-bellied Bulbul<br>2 at Tabing hide, TN  | <i>Alophoixus phaeocephalus</i> |
| 174. | <b>Gray-cheeked Bulbul</b><br>Several at TN  | <i>Alophoixus tephrogenys</i>   |
| 175. | Ochraceous Bulbul<br>2 at the Gap rd, BF<br>2 at swamp loop, TN                        | <i>Alophoixus ochraceus</i>     |
| 176. | <b>Buff-vented Bulbul</b><br>Fairly common at TN<br>3 at BT                            | <i>Iole crypta</i>              |
| 177. | <b>Cinereous Bulbul</b><br>2 at BT   | <i>Hemixos cinereus</i>         |
| 178. | Mountain Bulbul<br>Common at BF  | <i>Ixos mccllellandii</i>       |

179.	Arctic Warbler Fairly common	<i>Phylloscopus borealis</i>
180.	Chestnut-crowned Warbler 1 at Hemmant trail, BF	<i>Phylloscopus castaniceps</i>
181.	Mountain Tailorbird 1 at Telekom loop, BF	<i>Phyllergates cucullatus</i>
182.	Swinhoe's White-eye Several at KS	<i>Zosterops simplex</i>
183.	Hume's White-eye 20 at the Gap rd, BF	<i>Zosterops auriventer</i>
184.	Pin-striped Tit-Babbler Common at TN	<i>Mixornis gularis</i>
185.	<b>Fluffy-backed Tit-Babbler</b> 1 at Tabing hide, TN	<i>Macronus ptilosus</i>
186.	Golden Babbler Common at BF	<i>Cyanoderma chrysaeum</i>
187.	<b>Chestnut-winged Babbler</b> Common at TN	<i>Cyanoderma erythropterum</i>
188.	Rufous-fronted Babbler 2 at Blau trail, TN	<i>Cyanoderma rufifrons</i>
189.	<b>Black Laughingthrush</b> 3 at the Gap, BF	<i>Melanocichla lugubris</i>
190.	<b>Black-throated Babbler</b> 1 at swamp loop, TN 3 at river trail, TN	<i>Stachyris nigricollis</i>
191.	<b>Chestnut-rumped Babbler</b> 1 at Jenut Muda, TN 1 at river trail, TN	<i>Stachyris maculate</i>
192.	Gray-throated Babbler	<i>Stachyris nigriceps</i>

	2 at Telekom loop, BF	
193.	<b>Sooty-capped Babbler</b> Common at TN	<i>Malacopteron affine</i>
194.	<b>Scaly-crowned Babbler</b> 3 at Blau trail, TN 2 at river trail, TN	<i>Malacopteron cinereum</i>
195.	<b>Rufous-crowned Babbler</b> 1 at Jenut Muda, TN 1 at Tabing hide, TN	<i>Malacopteron magnum</i>
196.	Moustached Babbler Common at TN	<i>Malacopteron magnirostre</i>
197.	<b>Black-capped Babbler</b> Common at TN	<i>Pellorneum capistratum</i>
198.	<b>Short-tailed Babbler</b> 1 at Blau trail, TN 1 at Jenut Muda, TN	<i>Pellorneum malaccense</i>
199.	<b>Buff-breasted Babbler</b> 1 at Telekom loop, BF 2 at Hemmant trail, BF 1 at BT	<i>Pellorneum tickelli</i>
200.	<b>White-chested Babbler</b> 3 at swamp loop, TN	<i>Pellorneum rostratum</i>
201.	Ferruginous Babbler 1 at Jenut Muda, TN 1 at river trail, TN	<i>Pellorneum bicolor</i>
202.	Abbott's Babbler 1 at KS Common at TN	<i>Malacocincla abbotti</i>
203.	<b>Horsfield's Babbler</b>	<i>Malacocincla sepiaria</i>

	1 at river trail, TN	
204.	<b>Brown Fulvetta</b> 1 at Telekom loop, BF 5 at BT	<i>Alcippe brunneicauda</i>
205.	<b>Mountain Fulvetta</b> Common at BF	<i>Alcippe peracensis</i>
206.	<b>Malayan Laughingthrush</b> 2 at BF	<i>Trochalopteron peninsulae</i>
207.	<b>Long-tailed Sibia</b> 1 at Hemmant trail, BF 1 at Telekom loop, BF	<i>Heterophasia picaoides</i>
208.	Silver-eared Mesia 2 at Mager trail, BF	<i>Leiothrix argenteauris</i>
209.	<b>Chestnut-capped Laughingthrush</b> Common at BF	<i>Pterorhinus mitratus</i>
210.	Velvet-fronted Nuthatch 1 at the Gap rd, BF 2 at BT	<i>Sitta frontalis</i>
211.	<b>Blue Nuthatch</b> 3 at Telekom loop, BF	<i>Sitta azurea</i>
212.	<b>Asian Glossy Starling</b> Common at KS	<i>Aplonis panayensis</i>
213.	Common Hill Myna Common at TN	<i>Gracula religiosa</i>
214.	Common Myna 3 en route	<i>Acridotheres tristis</i>
215.	Javan Myna Common at KS	<i>Acridotheres javanicus</i>
216.	Ferruginous Flycatcher 1 at Telekom loop, BF	<i>Muscicapa ferruginea</i>

217.	Asian Brown Flycatcher Fairly common	<i>Muscicapa dauurica</i>
218.	Oriental Magpie-Robin Common	<i>Copsychus saularis</i>
219.	White-rumped Shama Common at TN	<i>Copsychus malabaricus</i>
220.	<b>Rufous-browed Flycatcher</b> Several at Hemmant trail, BF	<i>Anthipes solitaris</i>
221.	<b>Malaysian Blue Flycatcher</b> 2 at river trail, TN	<i>Cyornis turcosus</i>
222.	Large Niltava 1 at Hemmant trail, BF 1 at Mager trail, BF	<i>Niltava grandis</i>
223.	Verditer Flycatcher 1 at the Gap rd, BF 1 at BT	<i>Eumyias thalassinus</i>
224.	Siberian Blue Robin 1 at Blau trail, TN	<i>Larvivora cyane</i>
225.	<b>Malayan Whistling-Thrush</b> 1 HO at Mager trail, BF	<i>Myophonus robinsoni</i>
226.	White-crowned Forktail Seen almost daily at TN	<i>Enicurus leschenaultia</i>
227.	Chestnut-naped Forktail 1 at the Gap rd, BF 1 at river trail, TN	<i>Enicurus ruficapillus</i>
228.	White-tailed Robin 1 at Hemmant trail, BF	<i>Myiomela leucura</i>
229.	<b>Yellow-rumped Flycatcher</b> 1 at KS 2 at Mutiara, TN	<i>Ficedula zanthopygia</i>
230.	Little Pied Flycatcher 1 at Telekom loop, BF	<i>Ficedula westermanni</i>

231.	Orange-bellied Flowerpecker Common at BT	<i>Dicaeum trigonostigma</i>
232.	Brown-throated Sunbird 2 at KS	<i>Anthreptes malacensis</i>
233.	Black-throated Sunbird Common at BF	<i>Aethopyga saturate</i>
234.	Purple-naped Spiderhunter Common at TN	<i>Kurochkinogramma hypogrammicum</i>
235.	<b>Long-billed Spiderhunter</b> 1 at BT	<i>Arachnothera robusta</i>
236.	Little Spiderhunter 1 at BT	<i>Arachnothera longirostra</i>
237.	Streaked Spiderhunter Common at BF	<i>Arachnothera magna</i>
238.	Gray-breasted Spiderhunter 1 at Blau trail, TN 1 at BT	<i>Arachnothera modesta</i>
239.	Asian Fairy-bluebird Common at TN	<i>Irena puella</i>
240.	Greater Green Leafbird 1 at Tahan hide, TN 2 at BT	<i>Chloropsis sonnerati</i>
241.	Lesser Green Leafbird 1 at Mutiara, TN 1 at BT	<i>Chloropsis cyanopogon</i>
242.	Blue-winged Leafbird Several at TN 3 at BT	<i>Chloropsis cochinchinensis</i>
243.	Orange-bellied Leafbird	<i>Chloropsis hardwickii</i>



	1 at Telekom loop, BF	
244.	Scaly-breasted Munia 3 at Telekom loop, BF 2 at Blau trail, TN	<i>Lonchura punctulate</i>
245.	White-rumped Munia 4 at BT	<i>Lonchura striata</i>
246.	<b>Pin-tailed Parrotfinch</b> 1 at the Gap, BF	<i>Erythrura prasine</i>
247.	Eurasian Tree Sparrow Common	<i>Passer montanus</i>
248.	Gray Wagtail Fairly common	<i>Motacilla cinerea</i>

#### **Mammal list**

1.	Common Treeshrew Common	<i>Tupaia glis</i>
2.	Long-tailed Macaque Common at KS and TN	<i>Macaca fascicularis</i>
3.	Southern Pig-tailed Macaque Several groups at BF and BT	<i>Macaca nemestrina</i>
4.	Dusky Leaf Monkey Several groups at BF	<i>Trachypithecus obscurus</i>
5.	<b>Selangor silvered langur</b> Common at KS	<i>Trachypithecus selangorensis</i>
6.	Lar Gibbon HO at Tabing hide, TN	<i>Hylobates lar</i>
7.	<b>Siamang</b> Several groups at BF and BT	<i>Symphalangus syndactylus</i>
8.	<b>Cream-coloured Giant Squirrel</b> 1 at Blau trail, TN	<i>Ratufa affinis</i>

- |  |                                   |
|--|-----------------------------------|
| 9. <b>Asian Golden Cat</b><br>1 at Telekom loop, BF      | <i>Catopuma temminckii</i>        |
| 10. Asian Palm Civet<br>1 at Kuala Tahan, TN             | <i>Paradoxurus hermaphroditus</i> |
| 11. <b>Crab-eating Mongoose</b><br>1 at Telekom loop, BF | <i>Urva urva</i>                  |
| 12. <b>Smooth-coated Otter</b><br>4 at KS                | <i>Lutrogale perspicillata</i>    |
| 13. Lesser Mouse-deer<br>Several at TN                   | <i>Tragulus kanchil</i>           |
| 14. Mainland Serow<br>1 at Telekom loop, BF              | <i>Capricornis sumatraensis</i>   |
| 15. Wild Boar<br>1 at Tahan hide, TN                     | <i>Sus scrofa</i>                 |

#### **Snake list**

- |   |                           |
|---|---------------------------|
| 1. <b>Banded Krait</b><br>2 at KS                         | <i>Bungarus fasciatus</i> |
| 2. <b>Red-headed Krait</b><br>1 at river trail, TN        | <i>Bungarus Flaviceps</i> |
| 3. <b>Dog-toothed Cat Snake</b><br>1 at Hemmant trail, BF | Boiga Cynodon             |
| 4. <b>White-spotted Cat Snake</b><br>1 at swamp loop, TN  | Boiga Drapiezii           |
| 5. <b>Malayan Bridle Snake</b><br>1 at swamp loop, TN     | Lycodon Subannulatus      |
| 6. White-spotted Slug Snake<br>1 at Mutiara, TN           | Pareas margaritophorus    |
| 7. Oriental Vine Snake<br>1 at river trail, TN            | Ahaetulla prasine         |

8. Reticulated Python  
1 at Kuala Tahan, TN

Malayopython reticulatus