

Ethiopia, March 2013

05.03.2013 Addis Abeba Bole Airport (Ethiopia)

Arriving at Addis on time with Neil Tovey.

| | |
|--|----|
| Yellow-billed Kite (<i>Milvus migrans aegyptius/parasitus</i>) | 20 |
|--|----|

05.03.2013 Addis to Debre Zeit road (Ethiopia)

Driving with Solomon Berthe, Samson & Neil to Lake Cheleleka.

| | |
|--|----|
| Egyptian Goose (<i>Alopochen aegyptiaca</i>) | 5 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 10 |
| African White-backed Vulture (<i>Gyps africanus</i>) | 2 |
| Yellow-billed Kite (<i>Milvus migrans aegyptius/parasitus</i>) | 40 |
| Three-banded Plover (<i>Charadrius tricollaris</i>) | 1 |
| Common Sandpiper (<i>Actitis hypoleucos</i>) | 1 |
| Rock Dove (<i>Columba livia</i>) | 10 |
| Speckled Pigeon (<i>Columba guinea</i>) | 50 |
| Nyanza Swift (<i>Apus niansae</i>) | 2 |
| Northern Fiscal (<i>Lanius humeralis</i>) | 2 |
| Pied Crow (<i>Corvus albus</i>) | 5 |
| Brown-throated Martin (<i>Riparia paludicola</i>) | 10 |
| Barn Swallow (<i>Hirundo rustica</i>) | 5 |
| Blue-headed Wagtail (<i>Motacilla flava flava/beema</i>) | 1 |

05.03.2013 Lake Cheleleka (Ethiopia)

Scanning the lake from the western side, water much higher than last year.

| | |
|--|-----|
| Egyptian Goose (<i>Alopochen aegyptiaca</i>) | 100 |
| Spur-winged Goose (<i>Plectropterus gambensis</i>) | 80 |
| Northern Shoveler (<i>Anas clypeata</i>) | 100 |
| Northern Pintail (<i>Anas acuta</i>) | 10 |
| Garganey (<i>Anas querquedula</i>) | 7 |
| Little Grebe (<i>Tachybaptus ruficollis</i>) | 20 |
| Greater Flamingo (<i>Phoenicopterus roseus</i>) | 6 |
| Lesser Flamingo (<i>Phoenicopterus minor</i>) | 50 |
| Marabou Stork (<i>Leptoptilos crumenifer</i>) | 200 |
| Yellow-billed Stork (<i>Mycteria ibis</i>) | 2 |
| Hamerkop (<i>Scopus umbretta</i>) | 1 |
| Grey Heron (<i>Ardea cinerea</i>) | 1 |
| Squacco Heron (<i>Ardeola ralloides</i>) | 1 |
| Glossy Ibis (<i>Plegadis falcinellus</i>) | 6 |
| Sacred Ibis (<i>Threskiornis aethiopicus</i>) | 100 |
| Wattled Ibis (<i>Bostrychia carunculata</i>) | 15 |
| African Spoonbill (<i>Platalea alba</i>) | 2 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 20 |
| Booted Eagle (<i>Hieraaetus pennatus</i>) | 1 |
| Tawny Eagle (<i>Aquila rapax</i>) | 1 |
| Black Kite (<i>Milvus migrans [migrans-group]</i>) | 15 |
| Yellow-billed Kite (<i>Milvus migrans aegyptius/parasitus</i>) | 150 |
| African Fish Eagle (<i>Haliaeetus vocifer</i>) | 2 |
| Augur Buzzard (<i>Buteo augur</i>) | 1 |
| Common Crane (<i>Grus grus</i>) | 2 |
| Spur-winged Lapwing (<i>Vanellus spinosus</i>) | 4 |
| Black-winged Stilt (<i>Himantopus himantopus</i>) | 10 |
| Pied Avocet (<i>Recurvirostra avosetta</i>) | 80 |
| Black-tailed Godwit (<i>Limosa limosa</i>) | 60 |
| Ruff (<i>Philomachus pugnax</i>) | 200 |
| Speckled Pigeon (<i>Columba guinea</i>) | 20 |
| Red-eyed Dove (<i>Streptopelia semitorquata</i>) | 10 |
| Laughing Dove (<i>Streptopelia senegalensis</i>) | 2 |
| Great Spotted Cuckoo (<i>Clamator glandarius</i>) | 1 |
| Blue-breasted Bee-eater (<i>Merops variegatus</i>) | 2 |
| European Bee-eater (<i>Merops apiaster</i>) | 3 |
| Common Kestrel (<i>Falco tinnunculus</i>) | 2 |
| Daurian Shrike (<i>Lanius isabellinus</i>) | 1 |
| Pied Crow (<i>Corvus albus</i>) | 2 |

| | |
|--|----|
| Fan-tailed Raven (<i>Corvus rhipidurus</i>) | 2 |
| Brown-throated Martin (<i>Riparia paludicola</i>) | 2 |
| Barn Swallow (<i>Hirundo rustica</i>) | 10 |
| Tawny-flanked Prinia (<i>Prinia subflava</i>) | 1 |
| Western Yellow Wagtail (<i>Motacilla flava</i>) | 10 |
| Blue-headed Wagtail (<i>Motacilla flava flava/beema</i>) | 1 |
| Black-headed Wagtail (<i>Motacilla flava feldegg</i>) | 1 |
| Red-throated Pipit (<i>Anthus cervinus</i>) | 10 |
| Swainson's Sparrow (<i>Passer swainsonii</i>) | 1 |
| Red-billed Quelea (<i>Quelea quelea</i>) | 20 |
| African Silverbill (<i>Euodice cantans</i>) | 2 |

05.03.2013 Debre Zeit to Mojo road (Ethiopia)

Driving towards Ziway.

| | |
|---|----|
| African Mourning Dove (<i>Streptopelia decipiens</i>) | 10 |
| Northern Carmine Bee-eater (<i>Merops nubicus</i>) | 2 |
| Cape Crow (<i>Corvus capensis</i>) | 1 |

05.03.2013 Lake Koka--western shore (Ethiopia)

| | |
|--|----|
| Egyptian Goose (<i>Alopochen aegyptiaca</i>) | 5 |
| Abdim's Stork (<i>Ciconia abdimii</i>) | 1 |
| Marabou Stork (<i>Leptoptilos crumenifer</i>) | 50 |
| Great White Pelican (<i>Pelecanus onocrotalus</i>) | 10 |
| Goliath Heron (<i>Ardea goliath</i>) | 1 |
| Great Egret (<i>Ardea alba</i>) | 2 |
| Little Egret (<i>Egretta garzetta</i>) | 1 |
| Squacco Heron (<i>Ardeola ralloides</i>) | 1 |
| Sacred Ibis (<i>Threskiornis aethiopicus</i>) | 20 |
| African Spoonbill (<i>Platalea alba</i>) | 2 |
| African Fish Eagle (<i>Haliaeetus vocifer</i>) | 3 |
| African Jacana (<i>Actophilornis africanus</i>) | 1 |
| Whiskered Tern (<i>Chlidonias hybrida</i>) | 10 |
| Malachite Kingfisher (<i>Corythornis cristatus</i>) | 1 |
| Barn Swallow (<i>Hirundo rustica</i>) | 20 |
| Grey-backed Camaroptera (<i>Camaroptera brachyura</i> [brevicaudata-group]) | 1 |
| Common Redstart (<i>Phoenicurus phoenicurus</i>) | 1 |
| Pied Wheatear (<i>Oenanthe pleschanka</i>) | 1 |
| African Pipit (<i>Anthus cinnamomeus</i>) | 1 |
| African Citril (<i>Serinus citrinelloides</i>) | 8 |

05.03.2013 Mojo to Ziway road (Ethiopia)

Arriving at Bethlehem Hotel in Ziway at dusk.

| | |
|---|-------|
| Black-headed Heron (<i>Ardea melanocephala</i>) | 1 |
| Cattle Egret (<i>Bubulcus ibis</i>) | 20 |
| Wahlberg's Eagle (<i>Hieraaetus wahlbergi</i>) | 6 |
| Dark Chanting Goshawk (<i>Melierax metabates</i>) | 6 |
| Montagu's Harrier (<i>Circus pygargus</i>) | 1 |
| Crowned Lapwing (<i>Vanellus coronatus</i>) | 2 |
| Ruff (<i>Philomachus pugnax</i>) | 150 |
| Speckled Mousebird (<i>Colius striatus</i>) | 3 |
| Abyssinian Roller (<i>Coracias abyssinicus</i>) | 3 |
| Black-winged Lovebird (<i>Agapornis taranta</i>) | 1 |
| Tawny-flanked Prinia (<i>Prinia subflava</i>) | 1 |
| Red-billed Oxpecker (<i>Buphagus erythrorhynchus</i>) | 30 |
| Western Yellow Wagtail (<i>Motacilla flava</i>) | 40 |
| Red-billed Quelea (<i>Quelea quelea</i>) | 10000 |

06.03.2013 Lake Ziway--southwest shore (Ethiopia)

Checking the area around Bethlehem Hotel and immediate shoreline.

| | |
|---|-----|
| White-faced Whistling Duck (<i>Dendrocygna viduata</i>) | 250 |
| Comb Duck (<i>Sarkidiornis melanotos</i>) | 15 |
| Egyptian Goose (<i>Alopochen aegyptiaca</i>) | 50 |
| Spur-winged Goose (<i>Plectropterus gambensis</i>) | 50 |
| African Pygmy Goose (<i>Nettapus auritus</i>) | 2 |
| Hottentot Teal (<i>Anas hottentota</i>) | 30 |

| | |
|--|-----|
| Garganey (<i>Anas querquedula</i>) | 60 |
| Little Grebe (<i>Tachybaptus ruficollis</i>) | 10 |
| Abdim's Stork (<i>Ciconia abdimii</i>) | 1 |
| Marabou Stork (<i>Leptoptilos crumenifer</i>) | 100 |
| Yellow-billed Stork (<i>Mycteria ibis</i>) | 15 |
| Long-tailed Cormorant (<i>Phalacrocorax africanus</i>) | 5 |
| African Darter (<i>Anhinga rufa</i>) | 5 |
| Great White Pelican (<i>Pelecanus onocrotalus</i>) | 2 |
| Hamerkop (<i>Scopus umbretta</i>) | 50 |
| Grey Heron (<i>Ardea cinerea</i>) | 2 |
| Black-headed Heron (<i>Ardea melanocephala</i>) | 1 |
| Goliath Heron (<i>Ardea goliath</i>) | 1 |
| Great Egret (<i>Ardea alba</i>) | 10 |
| Little Egret (<i>Egretta garzetta</i>) | 2 |
| Black Heron (<i>Egretta ardesiaca</i>) | 5 |
| Cattle Egret (<i>Bubulcus ibis</i>) | 3 |
| Squacco Heron (<i>Ardeola ralloides</i>) | 5 |
| Striated Heron (<i>Butorides striata</i> [atricapilla-group]) | 1 |
| Glossy Ibis (<i>Plegadis falcinellus</i>) | 10 |
| Sacred Ibis (<i>Threskiornis aethiopicus</i>) | 100 |
| Hadada Ibis (<i>Bostrychia hagedash</i>) | 2 |
| African Spoonbill (<i>Platalea alba</i>) | 1 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 50 |
| Western Marsh Harrier (<i>Circus aeruginosus</i>) | 1 |
| Pallid Harrier (<i>Circus macrourus</i>) | 2 |
| Yellow-billed Kite (<i>Milvus migrans aegyptius/parasitus</i>) | 10 |
| African Fish Eagle (<i>Haliaeetus vocifer</i>) | 12 |
| Black Crake (<i>Amaurornis flavirostra</i>) | 6 |
| Common Moorhen (<i>Gallinula chloropus</i>) | 10 |
| Spur-winged Lapwing (<i>Vanellus spinosus</i>) | 30 |
| Crowned Lapwing (<i>Vanellus coronatus</i>) | 1 |
| Kittlitz's Plover (<i>Charadrius pecuarius</i>) | 15 |
| Common Ringed Plover (<i>Charadrius hiaticula</i>) | 8 |
| Little Ringed Plover (<i>Charadrius dubius</i>) | 1 |
| Three-banded Plover (<i>Charadrius tricollaris</i>) | 3 |
| Black-winged Stilt (<i>Himantopus himantopus</i>) | 15 |
| Lesser Jacana (<i>Microparra capensis</i>) | 12 |
| African Jacana (<i>Actophilornis africanus</i>) | 70 |
| Common Sandpiper (<i>Actitis hypoleucos</i>) | 3 |
| Common Greenshank (<i>Tringa nebularia</i>) | 3 |
| Marsh Sandpiper (<i>Tringa stagnatilis</i>) | 15 |
| Wood Sandpiper (<i>Tringa glareola</i>) | 40 |
| Black-tailed Godwit (<i>Limosa limosa</i>) | 10 |
| Little Stint (<i>Calidris minuta</i>) | 50 |
| Temminck's Stint (<i>Calidris temminckii</i>) | 1 |
| Ruff (<i>Philomachus pugnax</i>) | 50 |
| Common Snipe (<i>Gallinago gallinago</i>) | 5 |
| African Snipe (<i>Gallinago nigripennis</i>) | 1 |
| White-winged Tern (<i>Chlidonias leucopterus</i>) | 1 |
| Whiskered Tern (<i>Chlidonias hybrida</i>) | 5 |
| Speckled Pigeon (<i>Columba guinea</i>) | 50 |
| African Mourning Dove (<i>Streptopelia decipiens</i>) | 10 |
| Red-eyed Dove (<i>Streptopelia semitorquata</i>) | 10 |
| Namaqua Dove (<i>Oena capensis</i>) | 1 |
| Speckled Mousebird (<i>Colius striatus</i>) | 10 |
| African Pygmy Kingfisher (<i>Ispidina picta</i>) | 1 |
| Woodland Kingfisher (<i>Halcyon senegalensis</i>) | 5 |
| Pied Kingfisher (<i>Ceryle rudis</i>) | 50 |
| Little Bee-eater (<i>Merops pusillus</i>) | 4 |
| Northern Carmine Bee-eater (<i>Merops nubicus</i>) | 300 |
| Eurasian Hoopoe (<i>Upupa epops</i>) | 4 |
| Hemprich's Hornbill (<i>Tockus hemprichii</i>) | 2 |
| Eurasian Hobby (<i>Falco subbuteo</i>) | 2 |
| Western Black-headed Batis (<i>Batis minor erlangeri</i>) | 1 |
| Daurian Shrike (<i>Lanius isabellinus</i>) | 1 |
| Grey-backed Fiscal (<i>Lanius excubitoroides</i>) | 2 |
| Brown-throated Martin (<i>Riparia paludicola</i>) | 300 |
| Sand Martin (<i>Riparia riparia</i>) | 1 |

| | |
|---|-----|
| Barn Swallow (<i>Hirundo rustica</i>) | 50 |
| Willow Warbler (<i>Phylloscopus trochilus</i>) | 5 |
| Eastern Olivaceous Warbler (<i>Iduna pallida</i>) | 2 |
| Sedge Warbler (<i>Acrocephalus schoenobaenus</i>) | 10 |
| Lesser Swamp Warbler (<i>Acrocephalus gracilirostris</i>) | 1 |
| Tawny-flanked Prinia (<i>Prinia subflava</i>) | 1 |
| Lesser Whitethroat (<i>Sylvia curruca</i>) | 2 |
| White-breasted White-eye (<i>Zosterops abyssinicus</i>) | 2 |
| Northern Black Flycatcher (<i>Melaenornis edolioides</i>) | 1 |
| Wattled Starling (<i>Creatophora cinerea</i>) | 600 |
| Greater Blue-eared Glossy Starling (<i>Lamprotornis chalybaeus</i>) | 5 |
| Rueppell's Glossy Starling (<i>Lamprotornis purpuroptera</i>) | 15 |
| Superb Starling (<i>Lamprotornis superbus</i>) | 20 |
| Red-billed Oxpecker (<i>Buphagus erythrorhynchus</i>) | 5 |
| Beautiful Sunbird (<i>Cinnyris pulchellus</i>) | 10 |
| Western Yellow Wagtail (<i>Motacilla flava</i>) | 20 |
| Blue-headed Wagtail (<i>Motacilla flava flava/beema</i>) | 5 |
| Black-headed Wagtail (<i>Motacilla flava feldegg</i>) | 20 |
| White Wagtail (<i>Motacilla alba</i>) | 1 |
| African Pipit (<i>Anthus cinnamomeus</i>) | 3 |
| Red-throated Pipit (<i>Anthus cervinus</i>) | 5 |
| Swainson's Sparrow (<i>Passer swainsonii</i>) | 15 |
| White-browed Sparrow-weaver (<i>Plocepasser mahali</i>) | 2 |
| Baglafaecht Weaver (<i>Ploceus baglafaecht</i>) | 2 |
| Lesser Masked Weaver (<i>Ploceus intermedius</i>) | 1 |
| Rueppell's Weaver (<i>Ploceus galbula</i>) | 50 |
| Village Weaver (<i>Ploceus cucullatus</i>) | 20 |
| Red-cheeked Cordonbleu (<i>Uraeginthus bengalus</i>) | 2 |

06.03.2013 Lake Ziway to Lake Langano (Ethiopia)

Driving to Lake Langano.

| | |
|---|----|
| Marabou Stork (<i>Leptoptilos crumenifer</i>) | 20 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 10 |
| Wahlberg's Eagle (<i>Hieraaetus wahlbergi</i>) | 1 |
| Dark Chanting Goshawk (<i>Melierax metabates</i>) | 2 |
| Crowned Lapwing (<i>Vanellus coronatus</i>) | 1 |
| Chestnut-bellied Sandgrouse (<i>Pterocles exustus</i>) | 10 |
| Northern Carmine Bee-eater (<i>Merops nubicus</i>) | 1 |
| Black-billed Woodhoopoe (<i>Phoeniculus somaliensis</i>) | 2 |
| Eurasian Hobby (<i>Falco subbuteo</i>) | 1 |
| Eastern Black-headed Oriole (<i>Oriolus larvatus</i>) | 1 |
| Wire-tailed Swallow (<i>Hirundo smithii</i>) | 2 |
| Rueppell's Glossy Starling (<i>Lamprotornis purpuroptera</i>) | 20 |
| Superb Starling (<i>Lamprotornis superbus</i>) | 50 |

06.03.2013 Lake Langano--western shore (Ethiopia)

Walking around an old resort area, with local boys helping out.

| | |
|--|----|
| Clapperton's Francolin (<i>Francolinus clappertoni</i>) | 2 |
| Sacred Ibis (<i>Threskiornis aethiopicus</i>) | 2 |
| African Harrier-hawk (<i>Polyboroides typus</i>) | 1 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 10 |
| African White-backed Vulture (<i>Gyps africanus</i>) | 2 |
| Yellow-billed Kite (<i>Milvus migrans aegyptius/parasitus</i>) | 2 |
| Spur-winged Lapwing (<i>Vanellus spinosus</i>) | 1 |
| Heuglin's Gull (<i>Larus fuscus heuglini</i>) | 3 |
| African Mourning Dove (<i>Streptopelia decipiens</i>) | 10 |
| Laughing Dove (<i>Streptopelia senegalensis</i>) | 10 |
| Namaqua Dove (<i>Oena capensis</i>) | 10 |
| White-bellied Go-away-bird (<i>Corythaixoides leucogaster</i>) | 2 |
| Greyish Eagle-owl (<i>Bubo cinerascens</i>) | 1 |
| Slender-tailed Nightjar (<i>Caprimulgus clarus</i>) | 6 |
| Speckled Mousebird (<i>Colius striatus</i>) | 5 |
| Striped Kingfisher (<i>Halcyon chelicuti</i>) | 3 |
| Eurasian Hoopoe (<i>Upupa epops</i>) | 1 |
| Northern Red-billed Hornbill (<i>Tockus erythrorhynchus</i>) | 3 |
| Von Der Decken's Hornbill (<i>Tockus deckeni</i>) | 3 |

| | |
|--|-----|
| Bearded Woodpecker (<i>Dendropicos namaquus</i>) | 1 |
| Common Kestrel (<i>Falco tinnunculus</i>) | 1 |
| Western Black-headed Batis (<i>Batis minor erlangeri</i>) | 2 |
| Masked Shrike (<i>Lanius nubicus</i>) | 2 |
| White-rumped Shrike (<i>Eurocephalus rueppelli</i>) | 2 |
| Barn Swallow (<i>Hirundo rustica</i>) | 10 |
| Grey-backed Camaroptera (<i>Camaroptera brachyura</i> [brevicaudata-group]) | 2 |
| Rattling Cisticola (<i>Cisticola chiniana</i>) | 2 |
| Yellow-bellied Eremomela (<i>Eremomela icteropygialis</i>) | 1 |
| Rufous Chatterer (<i>Turdoides rubiginosa</i>) | 5 |
| Small Grey Flycatcher (<i>Bradornis microrhynchus pumilus</i>) | 1 |
| Northern Black Flycatcher (<i>Melaenornis edolioides</i>) | 1 |
| Little Rock Thrush (<i>Monticola rufocinereus</i>) | 1 |
| Rueppell's Glossy Starling (<i>Lamprotornis purpuroptera</i>) | 20 |
| Superb Starling (<i>Lamprotornis superbus</i>) | 29 |
| Red-billed Oxpecker (<i>Buphagus erythrorhynchus</i>) | 5 |
| Beautiful Sunbird (<i>Cinnyris pulchellus</i>) | 5 |
| Mariqua Sunbird (<i>Cinnyris mariquensis</i>) | 2 |
| Western Yellow Wagtail (<i>Motacilla flava</i>) | 2 |
| Swainson's Sparrow (<i>Passer swainsonii</i>) | 15 |
| Chestnut Sparrow (<i>Passer eminibey</i>) | 20 |
| White-headed Buffalo Weaver (<i>Dinemellia dinemelli</i>) | 5 |
| White-browed Sparrow-weaver (<i>Plocepasser mahali</i>) | 100 |
| Little Weaver (<i>Ploceus luteolus</i>) | 1 |
| Village Weaver (<i>Ploceus cucullatus</i>) | 2 |
| Red-cheeked Cordonbleu (<i>Uraeginthus bengalus</i>) | 10 |

06.03.2013 Lake Langanu to Wondo Genet road (Ethiopia)

Driving straight to Wondo Genet.

| | |
|--|---|
| African White-backed Vulture (<i>Gyps africanus</i>) | 1 |
| Wahlberg's Eagle (<i>Hieraaetus wahlbergi</i>) | 1 |
| Steppe Buzzard (<i>Buteo buteo</i> [vulpinus-group]) | 1 |
| Thick-billed Raven (<i>Corvus crassirostris</i>) | 6 |

06.03.2013 Wondo Genet Forestry College (Ethiopia)

Walking the forest in the back as well as the entry road woodland.

| | |
|--|----|
| Hadada Ibis (<i>Bostrychia hagedash</i>) | 1 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 15 |
| African White-backed Vulture (<i>Gyps africanus</i>) | 2 |
| Rueppell's Griffon (<i>Gyps rueppellii</i>) | 2 |
| African Little Sparrowhawk (<i>Accipiter minullus</i>) | 1 |
| Lemon Dove (<i>Columba larvata</i>) | 6 |
| Tambourine Dove (<i>Turtur tympanistria</i>) | 10 |
| Verreaux's Eagle-owl (<i>Bubo lacteus</i>) | 2 |
| Narina Trogon (<i>Apaloderma narina</i>) | 1 |
| Woodland Kingfisher (<i>Halcyon senegalensis</i>) | 2 |
| Banded Barbet (<i>Lybius undatus</i>) | 4 |
| Nubian Woodpecker (<i>Campethera nubica</i>) | 4 |
| Grey-headed Woodpecker (<i>Dendropicos spodocephalus</i>) | 2 |
| Northern Puffback (<i>Dryoscopus gambensis</i>) | 5 |
| Tropical Boubou (<i>Laniarius aethiopicus</i>) | 5 |
| Sulphur-breasted Bushshrike (<i>Telophorus sulfureopectus</i>) | 1 |
| Ethiopian Oriole (<i>Oriolus monacha</i>) | 10 |
| African Paradise-flycatcher (<i>Terpsiphone viridis</i>) | 4 |
| Fan-tailed Raven (<i>Corvus rhipidurus</i>) | 2 |
| Thick-billed Raven (<i>Corvus crassirostris</i>) | 5 |
| Barn Swallow (<i>Hirundo rustica</i>) | 5 |
| Black Saw-wing (<i>Psalidoprocne pristoptera</i>) | 10 |
| Common Bulbul (<i>Pycnonotus barbatus</i>) | 5 |
| Grey-backed Camaroptera (<i>Camaroptera brachyura</i> [brevicaudata-group]) | 5 |
| Montane White-eye (<i>Zosterops poliogastrus</i>) | 5 |
| Northern White-rumped Babbler (<i>Turdoides leucopygia</i>) | 6 |
| Abyssinian Slaty Flycatcher (<i>Melaenornis chocolatinus</i>) | 6 |
| African Dusky Flycatcher (<i>Muscicapa adusta</i>) | 10 |
| Rueppell's Robin-chat (<i>Cossypha semirufa</i>) | 1 |
| Caspian Stonechat (<i>Saxicola maurus variegatus</i>) | 1 |

| | |
|---|----|
| Mountain Thrush (<i>Turdus abyssinicus</i>) | 5 |
| Scarlet-chested Sunbird (<i>Chalcomitra senegalensis</i>) | 10 |
| Grey Wagtail (<i>Motacilla cinerea</i>) | 3 |

06.03.2013 Wondo Genet--Wabi Shebelle hotel and stream (Ethiopia)

Walking the hotel grounds and along the stream to the east in the deforested area.

| | |
|--|----|
| Scaly Francolin (<i>Francolinus squamatus</i>) | 1 |
| Striated Heron (<i>Butorides striata</i> [atricapilla-group]) | 1 |
| Hadada Ibis (<i>Bostrychia hagedash</i>) | 4 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 10 |
| African White-backed Vulture (<i>Gyps africanus</i>) | 5 |
| Rueppell's Griffon (<i>Gyps rueppellii</i>) | 2 |
| Mountain Buzzard (<i>Buteo oreophilus</i>) | 1 |
| Augur Buzzard (<i>Buteo augur</i>) | 6 |
| Common Sandpiper (<i>Actitis hypoleucos</i>) | 1 |
| Lemon Dove (<i>Columba larvata</i>) | 2 |
| Red-eyed Dove (<i>Streptopelia semitorquata</i>) | 20 |
| Blue-spotted Wood Dove (<i>Turtur afer</i>) | 5 |
| Tambourine Dove (<i>Turtur tympanistria</i>) | 2 |
| Bruce's Green Pigeon (<i>Treron waalia</i>) | 1 |
| White-cheeked Turaco (<i>Tauraco leucotis</i>) | 4 |
| Dideric Cuckoo (<i>Chrysococcyx caprius</i>) | 2 |
| Blue-headed Coucal (<i>Centropus monachus</i>) | 3 |
| Nyanza Swift (<i>Apus niansae</i>) | 10 |
| Speckled Mousebird (<i>Colius striatus</i>) | 20 |
| Woodland Kingfisher (<i>Halcyon senegalensis</i>) | 1 |
| Blue-breasted Bee-eater (<i>Merops variegatus</i>) | 2 |
| Silvery-cheeked Hornbill (<i>Ceratogymna brevis</i>) | 4 |
| Banded Barbet (<i>Lybius undatus</i>) | 4 |
| Double-toothed Barbet (<i>Lybius bidentatus</i>) | 1 |
| Nubian Woodpecker (<i>Campethera nubica</i>) | 4 |
| Abyssinian Woodpecker (<i>Dendropicos abyssinicus</i>) | 1 |
| Black-winged Lovebird (<i>Agapornis taranta</i>) | 10 |
| Brown-throated Wattle-eye (<i>Platysteira cyanea</i>) | 2 |
| Northern Puffback (<i>Dryoscopus gambensis</i>) | 5 |
| Tropical Boubou (<i>Laniarius aethiopicus</i>) | 1 |
| Ethiopian Oriole (<i>Oriolus monacha</i>) | 3 |
| Fan-tailed Raven (<i>Corvus rhipidurus</i>) | 4 |
| Thick-billed Raven (<i>Corvus crassirostris</i>) | 2 |
| Rock Martin (<i>Ptyonoprogne fuligula</i>) | 5 |
| Barn Swallow (<i>Hirundo rustica</i>) | 20 |
| Black Saw-wing (<i>Psalidoprocne pristopectera</i>) | 30 |
| Common Bulbul (<i>Pycnonotus barbatus</i>) | 20 |
| Willow Warbler (<i>Phylloscopus trochilus</i>) | 1 |
| Grey-backed Camaroptera (<i>Camaroptera brachyura</i> [brevicaudata-group]) | 4 |
| Blackcap (<i>Sylvia atricapilla</i>) | 1 |
| Montane White-eye (<i>Zosterops poliogastrus</i>) | 2 |
| Northern White-rumped Babbler (<i>Turdoides leucopygia</i>) | 3 |
| Abyssinian Slaty Flycatcher (<i>Melaenornis chocolatinus</i>) | 10 |
| African Dusky Flycatcher (<i>Muscicapa adusta</i>) | 10 |
| Rueppell's Robin-chat (<i>Cossypha semirufa</i>) | 2 |
| Semicollared Flycatcher (<i>Ficedula semitorquata</i>) | 1 |
| Little Rock Thrush (<i>Monticola rufocinereus</i>) | 1 |
| White-winged Cliff Chat (<i>Thamnolaea semirufa</i>) | 2 |
| African Thrush (<i>Turdus pelios</i>) | 6 |
| Red-winged Starling (<i>Onychognathus morio</i>) | 30 |
| Red-billed Oxpecker (<i>Buphagus erythrorhynchus</i>) | 1 |
| Scarlet-chested Sunbird (<i>Chalcomitra senegalensis</i>) | 5 |
| Yellow-bellied Sunbird (<i>Cinnyris venustus</i> [venustus-group]) | 1 |
| Western Yellow Wagtail (<i>Motacilla flava</i>) | 5 |
| Grey Wagtail (<i>Motacilla cinerea</i>) | 4 |
| Mountain Wagtail (<i>Motacilla clara</i>) | 6 |
| Long-billed Pipit (<i>Anthus similis</i>) | 1 |
| Tree Pipit (<i>Anthus trivialis</i>) | 2 |
| African Citril (<i>Serinus citrinelloides</i>) | 40 |
| Brown-rumped Seed-eater (<i>Serinus tristriatus</i>) | 2 |
| Spectacled Weaver (<i>Ploceus ocularis</i>) | 2 |

| | |
|---|---|
| Red-billed Firefinch (<i>Lagonosticta senegala</i>) | 6 |
| African Firefinch (<i>Lagonosticta rubricata</i>) | 6 |

07.03.2013 Wondo Genet--Wabi Shebelle hotel and stream (Ethiopia)

Walking the stream down from the hot springs, then the hillside above before breakfast.

| | |
|--|----|
| Scaly Francolin (<i>Francolinus squamatus</i>) | 3 |
| Hadada Ibis (<i>Bostrychia hagedash</i>) | 2 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 5 |
| White-cheeked Turaco (<i>Tauraco leucotis</i>) | 1 |
| Speckled Mousebird (<i>Colius striatus</i>) | 30 |
| Half-collared Kingfisher (<i>Alcedo semitorquata</i>) | 2 |
| Silvery-cheeked Hornbill (<i>Ceratogymna brevis</i>) | 8 |
| Grey-headed Woodpecker (<i>Dendropicos spodocephalus</i>) | 1 |
| Black-winged Lovebird (<i>Agapornis taranta</i>) | 15 |
| Yellow-fronted Parrot (<i>Poicephalus flavifrons</i>) | 2 |
| Brown-throated Wattle-eye (<i>Platysteira cyanea</i>) | 3 |
| Ethiopian Oriole (<i>Oriolus monacha</i>) | 3 |
| Wire-tailed Swallow (<i>Hirundo smithii</i>) | 2 |
| Black Saw-wing (<i>Psalidoprocne pristoptera</i>) | 15 |
| Grey-backed Camaroptera (<i>Camaroptera brachyura</i> [brevicaudata-group]) | 5 |
| Blackcap (<i>Sylvia atricapilla</i>) | 1 |
| Brown Parisoma (<i>Parisoma lugens</i>) | 1 |
| Semicollared Flycatcher (<i>Ficedula semitorquata</i>) | 1 |
| Grey Wagtail (<i>Motacilla cinerea</i>) | 1 |
| Mountain Wagtail (<i>Motacilla clara</i>) | 3 |
| African Firefinch (<i>Lagonosticta rubricata</i>) | 2 |

07.03.2013 Shashemene to Kofele road (Ethiopia)

Driving towards Dinsho with a few stops.

| | |
|--|----|
| Sacred Ibis (<i>Threskiornis aethiopicus</i>) | 1 |
| Hadada Ibis (<i>Bostrychia hagedash</i>) | 1 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 10 |
| Steppe Buzzard (<i>Buteo buteo</i> [vulpinus-group]) | 1 |
| Hemprich's Hornbill (<i>Tockus hemprichii</i>) | 1 |
| Silvery-cheeked Hornbill (<i>Ceratogymna brevis</i>) | 3 |
| Cape Crow (<i>Corvus capensis</i>) | 10 |
| Pied Crow (<i>Corvus albus</i>) | 20 |

07.03.2013 Arsi Plain (Ethiopia)

Driving through this highland cultivated area with a few stops.

| | |
|--|-----|
| Abdim's Stork (<i>Ciconia abdimii</i>) | 2 |
| White Stork (<i>Ciconia ciconia</i>) | 30 |
| Black-headed Heron (<i>Ardea melanocephala</i>) | 2 |
| Wattled Ibis (<i>Bostrychia carunculata</i>) | 8 |
| Black-winged Kite (<i>Elanus caeruleus</i>) | 2 |
| African Harrier-hawk (<i>Polyboroides typus</i>) | 1 |
| African White-backed Vulture (<i>Gyps africanus</i>) | 10 |
| Yellow-billed Kite (<i>Milvus migrans aegyptius/parasitus</i>) | 15 |
| Steppe Buzzard (<i>Buteo buteo</i> [vulpinus-group]) | 3 |
| Augur Buzzard (<i>Buteo augur</i>) | 6 |
| Speckled Pigeon (<i>Columba guinea</i>) | 15 |
| White-collared Pigeon (<i>Columba albitorques</i>) | 20 |
| Lesser Kestrel (<i>Falco naumanni</i>) | 200 |
| Common Kestrel (<i>Falco tinnunculus</i>) | 2 |
| Cape Crow (<i>Corvus capensis</i>) | 20 |
| Pied Crow (<i>Corvus albus</i>) | 100 |
| Thick-billed Raven (<i>Corvus crassirostris</i>) | 2 |
| Erlanger's Lark (<i>Calandrella erlangeri</i>) | 1 |
| Thekla Lark (<i>Galerida theklae</i>) | 10 |
| Barn Swallow (<i>Hirundo rustica</i>) | 25 |
| Ethiopian Stonechat (<i>Saxicola torquatus albofasciatus</i>) | 1 |
| Moorland Chat (<i>Cercomela sordida</i>) | 50 |
| Pied Wheatear (<i>Oenanthe pleschanka</i>) | 15 |
| Isabelline Wheatear (<i>Oenanthe isabellina</i>) | 5 |
| Red-breasted Wheatear (<i>Oenanthe bottae</i>) | 3 |

| | |
|---|-----|
| Groundscraper Thrush (<i>Psophocichla litsitsirupa</i>) | 3 |
| Greater Blue-eared Glossy Starling (<i>Lamprotornis chalybaeus</i>) | 4 |
| Red-billed Oxpecker (<i>Buphagus erythrorhynchus</i>) | 3 |
| Western Yellow Wagtail (<i>Motacilla flava</i>) | 50 |
| Blue-headed Wagtail (<i>Motacilla flava flava/beema</i>) | 10 |
| Black-headed Wagtail (<i>Motacilla flava feldegg</i>) | 3 |
| Red-throated Pipit (<i>Anthus cervinus</i>) | 100 |
| Abyssinian Longclaw (<i>Macronyx flavicollis</i>) | 2 |
| Swainson's Sparrow (<i>Passer swainsonii</i>) | 20 |

07.03.2013 Adaba to Dinsho road (Ethiopia)

Driving up to the Cape Eagle Owl gorge.

| | |
|---|----|
| Wattled Ibis (<i>Bostrychia carunculata</i>) | 2 |
| Tawny Eagle (<i>Aquila rapax</i>) | 1 |
| Mountain Buzzard (<i>Buteo oreophilus</i>) | 2 |
| Nyanza Swift (<i>Apus niansae</i>) | 10 |
| Common Kestrel (<i>Falco tinnunculus</i>) | 1 |
| Lanner Falcon (<i>Falco biarmicus</i>) | 2 |
| Northern Fiscal (<i>Lanius humeralis</i>) | 3 |
| Cape Crow (<i>Corvus capensis</i>) | 2 |
| Pied Crow (<i>Corvus albus</i>) | 2 |
| Rock Martin (<i>Ptyonoprogne fuligula</i>) | 5 |
| Barn Swallow (<i>Hirundo rustica</i>) | 5 |
| Common House Martin (<i>Delichon urbicum</i>) | 20 |
| Ethiopian Stonechat (<i>Saxicola torquatus albofasciatus</i>) | 1 |
| Pied Wheatear (<i>Oenanthe pleschanka</i>) | 10 |
| Groundscraper Thrush (<i>Psophocichla litsitsirupa</i>) | 1 |
| Abyssinian Siskin (<i>Serinus nigriceps</i>) | 10 |
| Brown-rumped Seedeater (<i>Serinus tristriatus</i>) | 5 |

07.03.2013 Wassama Gorge (Ethiopia)

Walking the entire gorge with the 'owl-kids' helping out.

| | |
|--|----|
| Chestnut-naped Francolin (<i>Francolinus castaneicollis</i>) | 8 |
| African Little Sparrowhawk (<i>Accipiter minullus</i>) | 1 |
| Augur Buzzard (<i>Buteo augur</i>) | 3 |
| White-collared Pigeon (<i>Columba albitorques</i>) | 20 |
| Abyssinian Owl (<i>Asio abyssinicus</i>) | 2 |
| Thekla Lark (<i>Galerida theklae</i>) | 2 |
| Ethiopian Cisticola (<i>Cisticola galactotes lugubris</i>) | 1 |
| Moorland Chat (<i>Cercomela sordida</i>) | 50 |
| Groundscraper Thrush (<i>Psophocichla litsitsirupa</i>) | 4 |
| Abyssinian Siskin (<i>Serinus nigriceps</i>) | 20 |
| Streaky Seedeater (<i>Serinus striolatus</i>) | 30 |
| Brown-rumped Seedeater (<i>Serinus tristriatus</i>) | 15 |
| Baglafecht Weaver (<i>Ploceus baglafecht</i>) | 20 |
| Common Waxbill (<i>Estrilda astrild</i>) | 30 |

07.03.2013 Bale Mts--Dinsho wetland (Ethiopia)

Stopping at a few ponds.

| | |
|--|----|
| Blue-winged Goose (<i>Cyanochen cyanoptera</i>) | 10 |
| Yellow-billed Duck (<i>Anas undulata</i>) | 15 |
| Little Grebe (<i>Tachybaptus ruficollis</i>) | 2 |
| Sacred Ibis (<i>Threskiornis aethiopicus</i>) | 1 |
| Booted Eagle (<i>Hieraaetus pennatus</i>) | 2 |
| Rouget's Rail (<i>Rougetius rougetii</i>) | 2 |
| Red-knobbed Coot (<i>Fulica cristata</i>) | 10 |
| Three-banded Plover (<i>Charadrius tricollaris</i>) | 1 |
| Common Greenshank (<i>Tringa nebularia</i>) | 1 |
| Wood Sandpiper (<i>Tringa glareola</i>) | 2 |
| African Snipe (<i>Gallinago nigripennis</i>) | 2 |
| Ethiopian Cisticola (<i>Cisticola galactotes lugubris</i>) | 3 |
| Western Yellow Wagtail (<i>Motacilla flava</i>) | 10 |
| Red-throated Pipit (<i>Anthus cervinus</i>) | 5 |
| Yellow Bishop (<i>Euplectes capensis</i>) | 30 |

07.03.2013 Bale Mts--Dinsho Park HQ (Ethiopia)

Checking the forest in the lodge area.

| | |
|---|----|
| Booted Eagle (<i>Hieraaetus pennatus</i>) | 1 |
| Abyssinian Woodpecker (<i>Dendropicus abyssinicus</i>) | 4 |
| White-backed Black Tit (<i>Melaniparus leuconotus</i>) | 12 |
| Brown Woodland Warbler (<i>Phylloscopus umbrovirens</i>) | 6 |
| Abyssinian Catbird (<i>Parophasma galinieri</i>) | 20 |
| Montane White-eye (<i>Zosterops poliogastrus</i>) | 10 |
| Abyssinian Slaty Flycatcher (<i>Melaenornis chocolatinus</i>) | 6 |
| African Dusky Flycatcher (<i>Muscicapa adusta</i>) | 6 |
| Abyssinian Ground Thrush (<i>Geokichla piaggiae</i>) | 3 |
| Mountain Thrush (<i>Turdus abyssinicus</i>) | 10 |
| African Citril (<i>Serinus citrinelloides</i>) | 5 |
| Streaky Seedeater (<i>Serinus striolatus</i>) | 10 |
| Brown-rumped Seedeater (<i>Serinus tristriatus</i>) | 10 |
| Yellow-bellied Waxbill (<i>Coccygia quartinia</i>) | 15 |

08.03.2013 Bale Mts--Goba escarpment (Ethiopia)

Driving from Goba up to the Sanetti Plateau.

| | |
|--|-----|
| Chestnut-naped Francolin (<i>Francolinus castaneicollis</i>) | 8 |
| Common Quail (<i>Coturnix coturnix</i>) | 2 |
| Wattled Ibis (<i>Bostrychia carunculata</i>) | 10 |
| Lesser Spotted Eagle (<i>Clanga pomarina</i>) | 1 |
| Yellow-billed Kite (<i>Milvus migrans aegyptius/parasitus</i>) | 5 |
| Augur Buzzard (<i>Buteo augur</i>) | 4 |
| Rouget's Rail (<i>Rougetius rougetii</i>) | 2 |
| White-collared Pigeon (<i>Columba albitorques</i>) | 1 |
| Dusky Turtle Dove (<i>Streptopelia lugens</i>) | 2 |
| African Mourning Dove (<i>Streptopelia decipiens</i>) | 1 |
| Alpine Swift (<i>Apus melba</i>) | 50 |
| Nyanza Swift (<i>Apus niansae</i>) | 1 |
| Lanner Falcon (<i>Falco biarmicus</i>) | 2 |
| Black-winged Lovebird (<i>Agapornis taranta</i>) | 10 |
| Cape Crow (<i>Corvus capensis</i>) | 2 |
| Thekla Lark (<i>Galerida theklae</i>) | 5 |
| Rock Martin (<i>Ptyonoprogne fuligula</i>) | 2 |
| Common Bulbul (<i>Pycnonotus barbatus</i>) | 10 |
| Cinnamon Bracken Warbler (<i>Bradypterus cinnamomeus</i>) | 4 |
| Montane White-eye (<i>Zosterops poliogastrus</i>) | 5 |
| Moorland Chat (<i>Cercomela sordida</i>) | 50 |
| Groundscraper Thrush (<i>Psophocichla litsitsirupa</i>) | 2 |
| Mountain Thrush (<i>Turdus abyssinicus</i>) | 10 |
| Slender-billed Starling (<i>Onychognathus tenuirostris</i>) | 15 |
| Tacazze Sunbird (<i>Nectarinia tacazze</i>) | 2 |
| Mountain Wagtail (<i>Motacilla clara</i>) | 1 |
| Abyssinian Siskin (<i>Serinus nigriceps</i>) | 50 |
| Streaky Seedeater (<i>Serinus striolatus</i>) | 250 |
| Brown-rumped Seedeater (<i>Serinus tristriatus</i>) | 100 |
| Yellow Bishop (<i>Euplectes capensis</i>) | 1 |
| Common Waxbill (<i>Estrilda astrild</i>) | 20 |

08.03.2013 Bale Mts--Sanetti Plateau (Ethiopia)

Driving through, walking around the antennae and at the end of the plateau.

| | |
|--|-----|
| Blue-winged Goose (<i>Cyanochen cyanoptera</i>) | 8 |
| Ruddy Shelduck (<i>Tadorna ferruginea</i>) | 2 |
| Wattled Ibis (<i>Bostrychia carunculata</i>) | 30 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 1 |
| Golden Eagle (<i>Aquila chrysaetos</i>) | 2 |
| Montagu's Harrier (<i>Circus pygargus</i>) | 1 |
| Augur Buzzard (<i>Buteo augur</i>) | 20 |
| Spot-breasted Lapwing (<i>Vanellus melanocephalus</i>) | 65 |
| Common Sandpiper (<i>Actitis hypoleucos</i>) | 1 |
| Red-billed Chough (<i>Pyrrhocorax pyrrhocorax</i>) | 7 |
| Thekla Lark (<i>Galerida theklae</i>) | 50 |
| Moorland Chat (<i>Cercomela sordida</i>) | 100 |
| Red-throated Pipit (<i>Anthus cervinus</i>) | 50 |

08.03.2013 Bale Mts--Harena Forest (Ethiopia)

Driving towards Negelle with a few stops.

| | |
|--|-----|
| Chestnut-naped Francolin (<i>Francolinus castaneicollis</i>) | 4 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 10 |
| Rueppell's Griffon (<i>Gyps rueppellii</i>) | 1 |
| Ayres's Hawk-eagle (<i>Hieraaetus ayresii</i>) | 1 |
| Steppe Eagle (<i>Aquila nipalensis</i>) | 1 |
| Mountain Buzzard (<i>Buteo oreophilus</i>) | 1 |
| Red-chested Cuckoo (<i>Cuculus solitarius</i>) | 1 |
| African Emerald Cuckoo (<i>Chrysococcyx cupreus</i>) | 3 |
| Nyanza Swift (<i>Apus niansae</i>) | 100 |
| Brown-backed Honeyguide (<i>Prodotiscus regulus</i>) | 1 |
| Black Saw-wing (<i>Psalidoprocne pristopectera</i>) | 10 |
| White-backed Black Tit (<i>Melaniparus leuconotus</i>) | 2 |
| Common Bulbul (<i>Pycnonotus barbatus</i>) | 10 |
| Brown Woodland Warbler (<i>Phylloscopus umbrovirens</i>) | 2 |
| Common Chiffchaff (<i>Phylloscopus collybita</i>) | 1 |
| Cinnamon Bracken Warbler (<i>Bradypterus cinnamomeus</i>) | 1 |
| Grey-backed Camaroptera (<i>Camaroptera brachyura</i> [brevicaudata-group]) | 5 |
| Tawny-flanked Prinia (<i>Prinia subflava</i>) | 1 |
| Abyssinian Catbird (<i>Parophasma galinieri</i>) | 2 |
| Blackcap (<i>Sylvia atricapilla</i>) | 6 |
| Brown Parisoma (<i>Parisoma lugens</i>) | 4 |
| Abyssinian Slaty Flycatcher (<i>Melaenornis chocolatinus</i>) | 1 |
| African Dusky Flycatcher (<i>Muscicapa adusta</i>) | 1 |
| Rueppell's Robin-chat (<i>Cossypha semirufa</i>) | 1 |
| Moorland Chat (<i>Cercomela sordida</i>) | 10 |
| Abyssinian Ground Thrush (<i>Geokichla piaggiae</i>) | 2 |
| Slender-billed Starling (<i>Onychognathus tenuirostris</i>) | 10 |
| Yellow-crowned Canary (<i>Serinus flavivertex</i>) | 40 |
| Abyssinian Siskin (<i>Serinus nigriceps</i>) | 20 |
| Streaky Seedeater (<i>Serinus striolatus</i>) | 60 |
| Brown-rumped Seedeater (<i>Serinus tristriatus</i>) | 10 |
| Pin-tailed Whydah (<i>Vidua macroura</i>) | 1 |

08.03.2013 Dola-Mena to Genale River road (Ethiopia)

Driving towards Negelle.

| | |
|---|-----|
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 20 |
| Bateleur (<i>Terathopius ecaudatus</i>) | 1 |
| African Hawk-eagle (<i>Aquila spilogaster</i>) | 1 |
| Eastern Chanting Goshawk (<i>Melierax poliopterus</i>) | 4 |
| Ring-necked Dove (<i>Streptopelia capicola</i>) | 20 |
| White-bellied Go-away-bird (<i>Corythaixoides leucogaster</i>) | 20 |
| Alpine Swift (<i>Apus melba</i>) | 3 |
| Grey-headed Kingfisher (<i>Halcyon leucocephala</i>) | 2 |
| Northern Carmine Bee-eater (<i>Merops nubicus</i>) | 10 |
| Northern Red-billed Hornbill (<i>Tockus erythrorhynchus</i>) | 30 |
| Eastern Yellow-billed Hornbill (<i>Tockus flavirostris</i>) | 7 |
| Von Der Decken's Hornbill (<i>Tockus deckeni</i>) | 3 |
| Northern Ground Hornbill (<i>Bucorvus abyssinicus</i>) | 3 |
| Red-and-yellow Barbet (<i>Trachyphonus erythrocephalus</i>) | 4 |
| Common Kestrel (<i>Falco tinnunculus</i>) | 10 |
| Slate-coloured Boubou (<i>Laniarius funebris</i>) | 2 |
| Northern Fiscal (<i>Lanius humeralis</i>) | 6 |
| White-rumped Shrike (<i>Eurocephalus rueppelli</i>) | 6 |
| Eastern Black-headed Oriole (<i>Oriolus larvatus</i>) | 1 |
| Fork-tailed Drongo (<i>Dicrurus adsimilis</i>) | 30 |
| Wire-tailed Swallow (<i>Hirundo smithii</i>) | 2 |
| Rufous-tailed Rock Thrush (<i>Monticola saxatilis</i>) | 1 |
| Pied Wheatear (<i>Oenanthe pleschanka</i>) | 100 |
| Greater Blue-eared Glossy Starling (<i>Lamprotornis chalybaeus</i>) | 200 |
| Golden-breasted Starling (<i>Lamprotornis regius</i>) | 10 |
| Superb Starling (<i>Lamprotornis superbus</i>) | 20 |
| Shelley's Starling (<i>Lamprotornis shelleyi</i>) | 8 |

| | |
|---|----|
| Red-billed Oxpecker (<i>Buphagus erythrorhynchus</i>) | 2 |
| White-headed Buffalo Weaver (<i>Dinemellia dinemelli</i>) | 20 |
| Red-headed Weaver (<i>Anaplectes rubriceps</i>) | 2 |
| Village Weaver (<i>Ploceus cucullatus</i>) | 50 |

08.03.2013 Genale River area (Ethiopia)

Checking first the site at 5.831389,39.534167

| | |
|---|----|
| Ruspoli's Turaco (<i>Tauraco ruspolii</i>) | 2 |
| Lilac-breasted Roller (<i>Coracias caudatus</i>) | 2 |
| Black-billed Woodhoopoe (<i>Phoeniculus somaliensis</i>) | 1 |
| Black-billed Barbet (<i>Lybius guifsobalito</i>) | 2 |
| Double-toothed Barbet (<i>Lybius bidentatus</i>) | 1 |
| Greater Blue-eared Glossy Starling (<i>Lamprotornis chalybaeus</i>) | 5 |
| Red-billed Oxpecker (<i>Buphagus erythrorhynchus</i>) | 2 |
| Red-cheeked Cordonbleu (<i>Uraeginthus bengalus</i>) | 10 |

08.03.2013 Genale River to Negele road (Ethiopia)

Arriving in Negele at dusk.

| | |
|--|---|
| Crested Francolin (<i>Francolinus sephaena</i>) | 6 |
| Northern Red-billed Hornbill (<i>Tockus erythrorhynchus</i>) | 5 |
| Von Der Decken's Hornbill (<i>Tockus deckeni</i>) | 2 |
| Northern Crombec (<i>Sylvietta brachyura</i>) | 1 |
| Lesser Masked Weaver (<i>Ploceus intermedius</i>) | 3 |
| Vitelline Masked Weaver (<i>Ploceus vitellinus</i>) | 3 |
| Purple Grenadier (<i>Granatina ianthinogaster</i>) | 4 |

08.03.2013 Negele area west (Ethiopia)

Arriving in Negele from Bale Mts.

| | |
|---|----|
| African Pygmy Falcon (<i>Polhierax semitorquatus</i>) | 2 |
| Grey Kestrel (<i>Falco ardosiaceus</i>) | 1 |
| Cut-throat (<i>Amadina fasciata</i>) | 30 |

09.03.2013 Negele area east (Ethiopia)

Driving straight to the Liben Plain.

| | |
|--|----|
| Egyptian Goose (<i>Alopochen aegyptiaca</i>) | 2 |
| Yellow-necked Francolin (<i>Francolinus leucoscepus</i>) | 1 |
| Little Grebe (<i>Tachybaptus ruficollis</i>) | 6 |
| White Stork (<i>Ciconia ciconia</i>) | 2 |
| Black-winged Kite (<i>Elanus caeruleus</i>) | 2 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 20 |
| Black-breasted Snake Eagle (<i>Circaetus pectoralis</i>) | 1 |
| Wahlberg's Eagle (<i>Hieraaetus wahlbergi</i>) | 1 |
| Montagu's Harrier (<i>Circus pygargus</i>) | 1 |
| Kori Bustard (<i>Ardeotis kori</i>) | 4 |
| Temminck's Courser (<i>Cursorius temminckii</i>) | 2 |
| Speckled Pigeon (<i>Columba guinea</i>) | 2 |
| Red-eyed Dove (<i>Streptopelia semitorquata</i>) | 10 |
| Ring-necked Dove (<i>Streptopelia capicola</i>) | 20 |
| Laughing Dove (<i>Streptopelia senegalensis</i>) | 20 |
| Ruspoli's Turaco (<i>Tauraco ruspolii</i>) | 1 |
| Speckled Mousebird (<i>Colius striatus</i>) | 2 |
| Eurasian Hoopoe (<i>Upupa epops</i>) | 1 |
| African Grey Hornbill (<i>Tockus nasutus</i>) | 2 |
| Common Kestrel (<i>Falco tinnunculus</i>) | 1 |
| Daurian Shrike (<i>Lanius isabellinus</i>) | 4 |
| Eastern Black-headed Oriole (<i>Oriolus larvatus</i>) | 1 |
| Cape Crow (<i>Corvus capensis</i>) | 10 |
| Barn Swallow (<i>Hirundo rustica</i>) | 50 |
| Common Bulbul (<i>Pycnonotus barbatus</i>) | 5 |
| Yellow-bellied Eremomela (<i>Eremomela icteropygialis</i>) | 2 |
| Northern Black Flycatcher (<i>Melaenornis edolioides</i>) | 2 |
| Rufous-tailed Rock Thrush (<i>Monticola saxatilis</i>) | 4 |
| Northern Wheatear (<i>Oenanthe oenanthe</i>) | 1 |
| Pied Wheatear (<i>Oenanthe pleschanka</i>) | 50 |
| Isabelline Wheatear (<i>Oenanthe isabellina</i>) | 2 |

| | |
|---|----|
| Greater Blue-eared Glossy Starling (<i>Lamprotornis chalybaeus</i>) | 20 |
| Superb Starling (<i>Lamprotornis superbus</i>) | 50 |
| White-crowned Starling (<i>Spreo albicapillus</i>) | 3 |
| Red-throated Pipit (<i>Anthus cervinus</i>) | 20 |
| Ortolan Bunting (<i>Emberiza hortulana</i>) | 1 |
| Reichenow's Seedeater (<i>Serinus reichenowi</i>) | 10 |
| Yellow-spotted Petronia (<i>Petronia pyrgita</i>) | 2 |
| Red-billed Buffalo Weaver (<i>Bubalornis niger</i>) | 15 |
| White-headed Buffalo Weaver (<i>Dinemellia dinemelli</i>) | 20 |
| Vitelline Masked Weaver (<i>Ploceus vitellinus</i>) | 10 |
| Red-cheeked Cordonbleu (<i>Uraeginthus bengalus</i>) | 5 |

09.03.2013 Liben Plain (Ethiopia)

Walking the plain and meeting the Canadian group that had been there since dawn.

| | |
|--|----|
| Abdim's Stork (<i>Ciconia abdimii</i>) | 2 |
| African White-backed Vulture (<i>Gyps africanus</i>) | 4 |
| Rueppell's Griffon (<i>Gyps rueppellii</i>) | 1 |
| Short-toed Snake Eagle (<i>Circaetus gallicus</i>) | 1 |
| Pallid Harrier (<i>Circus macrourus</i>) | 1 |
| Yellow-billed Kite (<i>Milvus migrans aegyptius/parasitus</i>) | 1 |
| Kori Bustard (<i>Ardeotis kori</i>) | 1 |
| Black-winged Lapwing (<i>Vanellus melanopterus</i>) | 6 |
| Crowned Lapwing (<i>Vanellus coronatus</i>) | 30 |
| Temminck's Courser (<i>Cursorius temminckii</i>) | 6 |
| Eurasian Hoopoe (<i>Upupa epops</i>) | 1 |
| Lesser Kestrel (<i>Falco naumanni</i>) | 60 |
| Somali Crow (<i>Corvus edithae</i>) | 15 |
| Sidamo Lark (<i>Heteromirafrida sidamoensis</i>) | 3 |
| Somali Short-toed Lark (<i>Calandrella somalica</i>) | 60 |
| Barn Swallow (<i>Hirundo rustica</i>) | 5 |
| Ethiopian Swallow (<i>Hirundo aethiopica</i>) | 10 |
| Pectoral-patch Cisticola (<i>Cisticola brunnescens</i>) | 15 |
| Rufous-tailed Rock Thrush (<i>Monticola saxatilis</i>) | 3 |
| Isabelline Wheatear (<i>Oenanthe isabellina</i>) | 5 |
| Superb Starling (<i>Lamprotornis superbus</i>) | 2 |
| White-crowned Starling (<i>Spreo albicapillus</i>) | 35 |
| Western Yellow Wagtail (<i>Motacilla flava</i>) | 1 |
| Plain-backed Pipit (<i>Anthus leucophrys</i>) | 20 |
| Shelley's Rufous Sparrow (<i>Passer shelleyi</i>) | 4 |
| Swainson's Sparrow (<i>Passer swainsonii</i>) | 40 |
| Red-billed Buffalo Weaver (<i>Bubalornis niger</i>) | 5 |
| Speke's Weaver (<i>Ploceus spekei</i>) | 20 |
| Cut-throat (<i>Amadina fasciata</i>) | 3 |

09.03.2013 Liben Plain to Deka road (Ethiopia)

Driving the road east of Liben Plain, passing the village with large water tower by 4.6 km, walking the track going south.

| | |
|--|----|
| Shikra (<i>Accipiter badius</i>) | 1 |
| Buff-crested Bustard (<i>Eupodotis gindiana</i>) | 2 |
| White-bellied Go-away-bird (<i>Corythaixoides leucogaster</i>) | 10 |
| Lilac-breasted Roller (<i>Coracias caudatus</i>) | 2 |
| Abyssinian Scimitarbill (<i>Rhinopomastus minor</i>) | 1 |
| Northern Red-billed Hornbill (<i>Tockus erythrorhynchus</i>) | 1 |
| Black-throated Barbet (<i>Tricholaema melanocephala</i>) | 3 |
| Greater Honeyguide (<i>Indicator indicator</i>) | 2 |
| Nubian Woodpecker (<i>Campethera nubica</i>) | 3 |
| Cardinal Woodpecker (<i>Dendropicos fuscescens</i>) | 1 |
| Pygmy Batis (<i>Batis perkeo</i>) | 4 |
| Brubru (<i>Nilaus afer</i>) | 2 |
| Pringle's Puffback (<i>Dryoscopus pringlii</i>) | 1 |
| Three-streaked Tchagra (<i>Tchagra jamesi</i>) | 2 |
| Taita Fiscal (<i>Lanius dorsalis</i>) | 4 |
| Gillett's Lark (<i>Mirafrida gilletti</i>) | 3 |
| Somali Tit (<i>Melaniparus thruppi</i>) | 4 |
| Somali Crombec (<i>Sylvietta isabellina</i>) | 8 |
| Brown-tailed Apalis (<i>Apalis flavida flavocincta</i>) | 10 |
| Red-fronted Warbler (<i>Urorhipis rufifrons</i>) | 1 |

| | |
|--|----|
| Grey Wren-warbler (<i>Calamonastes simplex</i>) | 4 |
| Rattling Cisticola (<i>Cisticola chiniana</i>) | 2 |
| Tiny Cisticola (<i>Cisticola nana</i>) | 4 |
| Pale Prinia (<i>Prinia somalica</i>) | 3 |
| Yellow-bellied Eremomela (<i>Eremomela icteropygialis</i>) | 10 |
| Banded Parisoma (<i>Parisoma boehmi</i>) | 2 |
| Scaly Chatterer (<i>Turdoides aylmeri</i>) | 10 |
| Pale Flycatcher (<i>Bradornis pallidus</i>) | 5 |
| African Grey Flycatcher (<i>Bradornis microrhynchus</i>) | 1 |
| White-winged Scrub Robin (<i>Cercotrichas leucophrys leucoptera</i>) | 4 |
| Shelley's Starling (<i>Lamprotornis shelleyi</i>) | 2 |
| Kenya Violet-backed Sunbird (<i>Anthreptes orientalis</i>) | 1 |
| Hunter's Sunbird (<i>Chalcomitra hunteri</i>) | 8 |
| Variable Sunbird (<i>Cinnyris venustus albiventris</i>) | 20 |
| Tree Pipit (<i>Anthus trivialis</i>) | 3 |
| Somali Bunting (<i>Emberiza poliopleura</i>) | 10 |
| Reichenow's Seedeater (<i>Serinus reichenowi</i>) | 1 |
| Salvadori's Serin (<i>Serinus xantholaemus</i>) | 3 |
| Northern Grosbeak-canary (<i>Serinus donaldsoni</i>) | 3 |
| Red-headed Weaver (<i>Anaplectes rubriceps</i>) | 1 |
| Black-cheeked Waxbill (<i>Estrilda charmosyna</i>) | 6 |
| Purple Grenadier (<i>Granatina ianthinogaster</i>) | 4 |

09.03.2013 Negele area west (Ethiopia)

Walking a few areas up to 8 km west of town.

| | |
|--|-----|
| Crested Francolin (<i>Francolinus sephaena</i>) | 18 |
| Yellow-necked Francolin (<i>Francolinus leucoscepus</i>) | 1 |
| Eastern Chanting Goshawk (<i>Melierax poliopterus</i>) | 1 |
| White-bellied Bustard (<i>Eupodotis senegalensis</i>) | 1 |
| Crowned Lapwing (<i>Vanellus coronatus</i>) | 1 |
| Three-banded Courser (<i>Rhinoptilus cinctus</i>) | 6 |
| Ring-necked Dove (<i>Streptopelia capicola</i>) | 10 |
| Namaqua Dove (<i>Oena capensis</i>) | 2 |
| White-bellied Go-away-bird (<i>Corythaixoides leucogaster</i>) | 10 |
| Rufous-crowned Roller (<i>Coracias naevius</i>) | 3 |
| Black-billed Woodhoopoe (<i>Phoeniculus somaliensis</i>) | 1 |
| Von Der Decken's Hornbill (<i>Tockus deckeni</i>) | 2 |
| Red-and-yellow Barbet (<i>Trachyphonus erythrocephalus</i>) | 1 |
| Red-fronted Barbet (<i>Tricholaema diademata</i>) | 1 |
| Black-throated Barbet (<i>Tricholaema melanocephala</i>) | 1 |
| Nubian Woodpecker (<i>Campethera nubica</i>) | 2 |
| African Pygmy Falcon (<i>Polihierax semitorquatus</i>) | 2 |
| African Orange-bellied Parrot (<i>Poicephalus rufiventris</i>) | 2 |
| Western Black-headed Batis (<i>Batis minor erlangeri</i>) | 1 |
| Brubru (<i>Nilaus afer</i>) | 1 |
| Slate-coloured Boubou (<i>Laniarius funebris</i>) | 1 |
| Rosy-patched Bushshrike (<i>Rhodophoneus cruentus</i>) | 2 |
| Grey-headed Bushshrike (<i>Malaconotus blanchoti</i>) | 3 |
| Daurian Shrike (<i>Lanius isabellinus</i>) | 1 |
| White-rumped Shrike (<i>Eurocephalus rueppelli</i>) | 6 |
| Eastern Black-headed Oriole (<i>Oriolus larvatus</i>) | 3 |
| Fork-tailed Drongo (<i>Dicrurus adsimilis</i>) | 5 |
| Foxy Lark (<i>Calendulauda alopex</i>) | 2 |
| Common Bulbul (<i>Pycnonotus barbatus</i>) | 5 |
| Red-faced Crombec (<i>Sylvietta whytii</i>) | 2 |
| Brown-tailed Apalis (<i>Apalis flavida flavocincta</i>) | 2 |
| Rattling Cisticola (<i>Cisticola chiniana</i>) | 1 |
| Stout Cisticola (<i>Cisticola robustus</i>) | 1 |
| White-winged Scrub Robin (<i>Cercotrichas leucophrys leucoptera</i>) | 1 |
| Blue Rock Thrush (<i>Monticola solitarius</i>) | 1 |
| Northern Wheatear (<i>Oenanthe oenanthe</i>) | 1 |
| Pied Wheatear (<i>Oenanthe pleschanka</i>) | 20 |
| Isabelline Wheatear (<i>Oenanthe isabellina</i>) | 2 |
| Greater Blue-eared Glossy Starling (<i>Lamprotornis chalybaeus</i>) | 10 |
| Superb Starling (<i>Lamprotornis superbus</i>) | 20 |
| Red-billed Oxpecker (<i>Buphagus erythrorhynchus</i>) | 250 |
| Tree Pipit (<i>Anthus trivialis</i>) | 4 |

| | |
|---|----|
| Somali Bunting (<i>Emberiza polioleura</i>) | 3 |
| Reichenow's Seedeater (<i>Serinus reichenowi</i>) | 1 |
| Red-billed Buffalo Weaver (<i>Bubalornis niger</i>) | 3 |
| White-headed Buffalo Weaver (<i>Dinemellia dinemelli</i>) | 20 |

10.03.2013 Negele to Dawa River road (Ethiopia)

Driving through the Liben Plain, then the escarpment down to Dawa River bridge.

| | |
|---|-----|
| Little Grebe (<i>Tachybaptus ruficollis</i>) | 6 |
| Hamerkop (<i>Scopus umbretta</i>) | 1 |
| African Spoonbill (<i>Platalea alba</i>) | 3 |
| Black-winged Kite (<i>Elanus caeruleus</i>) | 1 |
| Bateleur (<i>Terathopius ecaudatus</i>) | 1 |
| Brown Snake Eagle (<i>Circaetus cinereus</i>) | 1 |
| Wahlberg's Eagle (<i>Hieraaetus wahlbergi</i>) | 2 |
| Eastern Chanting Goshawk (<i>Melierax poliopterus</i>) | 1 |
| Gabar Goshawk (<i>Micronisus gabar</i>) | 1 |
| Pallid Harrier (<i>Circus macrourus</i>) | 1 |
| African Little Sparrowhawk (<i>Accipiter minullus</i>) | 1 |
| Kori Bustard (<i>Ardeotis kori</i>) | 6 |
| Black-winged Lapwing (<i>Vanellus melanopterus</i>) | 2 |
| Crowned Lapwing (<i>Vanellus coronatus</i>) | 25 |
| Speckled Pigeon (<i>Columba guinea</i>) | 6 |
| Red-eyed Dove (<i>Streptopelia semitorquata</i>) | 50 |
| Ring-necked Dove (<i>Streptopelia capicola</i>) | 50 |
| Laughing Dove (<i>Streptopelia senegalensis</i>) | 20 |
| Bruce's Green Pigeon (<i>Treron waalia</i>) | 2 |
| Striped Kingfisher (<i>Halcyon chelicuti</i>) | 1 |
| Little Bee-eater (<i>Merops pusillus</i>) | 2 |
| European Bee-eater (<i>Merops apiaster</i>) | 3 |
| Lilac-breasted Roller (<i>Coracias caudatus</i>) | 4 |
| Rufous-crowned Roller (<i>Coracias naevius</i>) | 4 |
| Eurasian Hoopoe (<i>Upupa epops</i>) | 2 |
| Black-billed Woodhoopoe (<i>Phoeniculus somaliensis</i>) | 2 |
| Northern Red-billed Hornbill (<i>Tockus erythrorhynchus</i>) | 250 |
| Von Der Decken's Hornbill (<i>Tockus deckeni</i>) | 60 |
| African Grey Hornbill (<i>Tockus nasutus</i>) | 3 |
| African Pygmy Falcon (<i>Polihierax semitorquatus</i>) | 2 |
| African Orange-bellied Parrot (<i>Poicephalus rufiventris</i>) | 3 |
| Slate-coloured Boubou (<i>Laniarius funebris</i>) | 1 |
| Grey-headed Bushshrike (<i>Malaconotus blanchoti</i>) | 1 |
| Daurian Shrike (<i>Lanius isabellinus</i>) | 4 |
| White-rumped Shrike (<i>Eurocephalus rueppelli</i>) | 2 |
| Eastern Black-headed Oriole (<i>Oriolus larvatus</i>) | 1 |
| Fork-tailed Drongo (<i>Dicrurus adsimilis</i>) | 5 |
| Somali Crow (<i>Corvus edithae</i>) | 2 |
| Barn Swallow (<i>Hirundo rustica</i>) | 250 |
| Ethiopian Swallow (<i>Hirundo aethiopica</i>) | 18 |
| Wire-tailed Swallow (<i>Hirundo smithii</i>) | 2 |
| Northern Brownbul (<i>Phyllastrephus strepitans</i>) | 6 |
| Dodson's Bulbul (<i>Pycnonotus barbatus dodsoni</i>) | 10 |
| White-breasted White-eye (<i>Zosterops abyssinicus</i>) | 2 |
| Grey Tit-flycatcher (<i>Myioparus plumbeus</i>) | 1 |
| Pied Wheatear (<i>Oenanthe pleschanka</i>) | 100 |
| Greater Blue-eared Glossy Starling (<i>Lamprotornis chalybaeus</i>) | 50 |
| Golden-breasted Starling (<i>Lamprotornis regius</i>) | 45 |
| Superb Starling (<i>Lamprotornis superbus</i>) | 30 |
| Shelley's Starling (<i>Lamprotornis shelleyi</i>) | 1 |
| White-crowned Starling (<i>Spreo albicapillus</i>) | 2 |
| Magpie Starling (<i>Speculipastor bicolor</i>) | 3 |
| Red-billed Oxpecker (<i>Buphagus erythrorhynchus</i>) | 2 |
| Western Yellow Wagtail (<i>Motacilla flava</i>) | 1 |
| Plain-backed Pipit (<i>Anthus leucophrys</i>) | 2 |
| Red-throated Pipit (<i>Anthus cervinus</i>) | 5 |
| Swainson's Sparrow (<i>Passer swainsonii</i>) | 10 |
| Yellow-spotted Petronia (<i>Petronia pyrgita</i>) | 2 |
| Red-billed Buffalo Weaver (<i>Bubalornis niger</i>) | 20 |
| White-headed Buffalo Weaver (<i>Dinemellia dinemelli</i>) | 20 |

10.03.2013 Dawa River track (Ethiopia)

Walking 2 km west of the main road.

| | |
|---|-----|
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 1 |
| Rueppell's Griffon (<i>Gyps rueppellii</i>) | 1 |
| Shikra (<i>Accipiter badius</i>) | 2 |
| White-winged Collared Dove (<i>Streptopelia reichenowi</i>) | 4 |
| Emerald-spotted Wood Dove (<i>Turtur chalcospilos</i>) | 8 |
| White-bellied Go-away-bird (<i>Corythaixoides leucogaster</i>) | 2 |
| Grey-headed Kingfisher (<i>Halcyon leucocephala</i>) | 2 |
| Northern Red-billed Hornbill (<i>Tockus erythrorhynchus</i>) | 2 |
| Eastern Yellow-billed Hornbill (<i>Tockus flavirostris</i>) | 1 |
| Von Der Decken's Hornbill (<i>Tockus deckeni</i>) | 6 |
| African Grey Hornbill (<i>Tockus nasutus</i>) | 2 |
| Black-throated Barbet (<i>Tricholaema melanocephala</i>) | 1 |
| Pygmy Batis (<i>Batis perkeo</i>) | 2 |
| Slate-coloured Boubou (<i>Laniarius funebris</i>) | 1 |
| Northern Brownbul (<i>Phyllastrephus strepitans</i>) | 10 |
| Dodson's Bulbul (<i>Pycnonotus barbatus dodsoni</i>) | 5 |
| Brown-tailed Apalis (<i>Apalis flavida flavocincta</i>) | 2 |
| Pied Wheatear (<i>Oenanthe pleschanka</i>) | 2 |
| Greater Blue-eared Glossy Starling (<i>Lamprotornis chalybaeus</i>) | 6 |
| Golden-breasted Starling (<i>Lamprotornis regius</i>) | 6 |
| Magpie Starling (<i>Speculipastor bicolor</i>) | 5 |
| Kenya Violet-backed Sunbird (<i>Anthreptes orientalis</i>) | 6 |
| Collared Sunbird (<i>Hedydipna collaris</i>) | 1 |
| Mariqua Sunbird (<i>Cinnyris mariquensis</i>) | 1 |
| Salvadori's Weaver (<i>Ploceus dichrocephalus</i>) | 100 |
| Red-cheeked Cordonbleu (<i>Uraeginthus bengalus</i>) | 2 |

10.03.2013 Dawa River to Wachile road (Ethiopia)

Driving to Wachile for lunch.

| | |
|---|----|
| Vulturine Guinea fowl (<i>Acryllium vulturinum</i>) | 40 |
| Buff-crested Bustard (<i>Eupodotis gindiana</i>) | 1 |
| White Helmetshrike (<i>Prionops plumatus</i>) | 6 |
| Red-naped Bushshrike (<i>Laniarius ruficeps</i>) | 1 |
| White-breasted White-eye (<i>Zosterops abyssinicus</i>) | 3 |
| African Bare-eyed Thrush (<i>Turdus tephronotus</i>) | 1 |

10.03.2013 Wachile to Yabello road (Ethiopia)

Driving the non-standard road via Arero.

| | |
|--|----|
| Black-winged Kite (<i>Elanus caeruleus</i>) | 3 |
| White-headed Vulture (<i>Trigonoceps occipitalis</i>) | 1 |
| African White-backed Vulture (<i>Gyps africanus</i>) | 1 |
| Bateleur (<i>Terathopius ecaudatus</i>) | 2 |
| Martial Eagle (<i>Polemaetus bellicosus</i>) | 2 |
| Tawny Eagle (<i>Aquila rapax</i>) | 1 |
| Gabar Goshawk (<i>Micronisus gabar</i>) | 1 |
| African Goshawk (<i>Accipiter tachiro</i>) | 1 |
| Buff-crested Bustard (<i>Eupodotis gindiana</i>) | 1 |
| White-bellied Go-away-bird (<i>Corythaixoides leucogaster</i>) | 5 |
| Blue-naped Mousebird (<i>Urocolius macrourus</i>) | 3 |
| Lilac-breasted Roller (<i>Coracias caudatus</i>) | 1 |
| Rufous-crowned Roller (<i>Coracias naevius</i>) | 2 |
| Black-billed Woodhoopoe (<i>Phoeniculus somaliensis</i>) | 1 |
| Northern Red-billed Hornbill (<i>Tockus erythrorhynchus</i>) | 10 |
| Eastern Yellow-billed Hornbill (<i>Tockus flavirostris</i>) | 2 |
| Black-throated Barbet (<i>Tricholaema melanocephala</i>) | 1 |
| Nubian Woodpecker (<i>Campethera nubica</i>) | 1 |
| Western Black-headed Batis (<i>Batis minor erlangeri</i>) | 2 |
| White Helmetshrike (<i>Prionops plumatus</i>) | 12 |
| Pringle's Puffback (<i>Dryoscopus pringlii</i>) | 3 |
| Rosy-patched Bushshrike (<i>Rhodophoneus cruentus</i>) | 5 |
| Grey-headed Bushshrike (<i>Malaconotus blanchoti</i>) | 1 |
| White-rumped Shrike (<i>Eurocephalus rueppelli</i>) | 1 |
| Eastern Black-headed Oriole (<i>Oriolus larvatus</i>) | 2 |
| Stresemann's Bush Crow (<i>Zavattariornis stresemanni</i>) | 1 |

| | |
|--|----|
| Somali Tit (<i>Melaniparus thruppi</i>) | 2 |
| Northern Crombec (<i>Sylvietta brachyura</i>) | 2 |
| Brown-tailed Apalis (<i>Apalis flavida flavocincta</i>) | 10 |
| Rattling Cisticola (<i>Cisticola chiniana</i>) | 2 |
| Croaking Cisticola (<i>Cisticola natalensis</i>) | 1 |
| White-breasted White-eye (<i>Zosterops abyssinicus</i>) | 1 |
| White-winged Scrub Robin (<i>Cercotrichas leucophrys leucoptera</i>) | 1 |
| Spotted Palm Thrush (<i>Cichladusa guttata</i>) | 1 |
| Pied Wheatear (<i>Oenanthe pleschanka</i>) | 10 |
| Golden-breasted Starling (<i>Lamprotornis regius</i>) | 10 |
| Shining Sunbird (<i>Cinnyris habessinicus</i>) | 2 |
| Tree Pipit (<i>Anthus trivialis</i>) | 2 |
| White-bellied Canary (<i>Serinus dorsostriatus</i>) | 3 |
| Northern Grosbeak-canary (<i>Serinus donaldsoni</i>) | 1 |
| Black-capped Social Weaver (<i>Pseudonigrita cabanisi</i>) | 50 |
| Lesser Masked Weaver (<i>Ploceus intermedius</i>) | 3 |
| Black-cheeked Waxbill (<i>Estrilda charmosyna</i>) | 2 |
| Orange-winged Pytilia (<i>Pytilia afra</i>) | 1 |

11.03.2013 Yabello to Mega road (Ethiopia)

Driving to 55 km south of Yabello, birding a few places along the way.

| | |
|--|----|
| Vulturine Guinea fowl (<i>Acryllium vulturinum</i>) | 50 |
| Crested Francolin (<i>Francolinus sephaena</i>) | 1 |
| Rueppell's Griffon (<i>Gyps rueppellii</i>) | 1 |
| Tawny Eagle (<i>Aquila rapax</i>) | 2 |
| Eastern Chanting Goshawk (<i>Melierax poliopterus</i>) | 2 |
| Augur Buzzard (<i>Buteo augur</i>) | 1 |
| White-bellied Bustard (<i>Eupodotis senegalensis</i>) | 1 |
| Buff-crested Bustard (<i>Eupodotis gindiana</i>) | 1 |
| Speckled Pigeon (<i>Columba guinea</i>) | 50 |
| Ring-necked Dove (<i>Streptopelia capicola</i>) | 50 |
| White-bellied Go-away-bird (<i>Corythaixoides leucogaster</i>) | 8 |
| Speckled Mousebird (<i>Colius striatus</i>) | 2 |
| Lilac-breasted Roller (<i>Coracias caudatus</i>) | 3 |
| Rufous-crowned Roller (<i>Coracias naevius</i>) | 8 |
| Eurasian Hoopoe (<i>Upupa epops</i>) | 2 |
| Abyssinian Scimitarbill (<i>Rhinopomastus minor</i>) | 1 |
| Northern Red-billed Hornbill (<i>Tockus erythrorhynchus</i>) | 4 |
| Red-and-yellow Barbet (<i>Trachyphonus erythrocephalus</i>) | 5 |
| D'arnaud's Barbet (<i>Trachyphonus darnaudii</i>) | 3 |
| Black-throated Barbet (<i>Tricholaema melanocephala</i>) | 1 |
| Nubian Woodpecker (<i>Campethera nubica</i>) | 2 |
| African Orange-bellied Parrot (<i>Poicephalus rufiventris</i>) | 3 |
| Brubru (<i>Nilaus afer</i>) | 1 |
| Pringle's Puffback (<i>Dryoscopus pringlii</i>) | 1 |
| Three-streaked Tchagra (<i>Tchagra jamesi</i>) | 3 |
| Red-naped Bushshrike (<i>Laniarius ruficeps</i>) | 6 |
| Rosy-patched Bushshrike (<i>Rhodophoneus cruentus</i>) | 15 |
| Daurian Shrike (<i>Lanius isabellinus</i>) | 1 |
| Grey-backed Fiscal (<i>Lanius excubitoroides</i>) | 4 |
| White-rumped Shrike (<i>Eurocephalus rueppelli</i>) | 4 |
| Eastern Black-headed Oriole (<i>Oriolus larvatus</i>) | 2 |
| Fork-tailed Drongo (<i>Dicrurus adsimilis</i>) | 4 |
| Stresemann's Bush Crow (<i>Zavattariornis stresemanni</i>) | 6 |
| Somali Crow (<i>Corvus edithae</i>) | 8 |
| Foxy Lark (<i>Calendulauda alopex</i>) | 2 |
| Barn Swallow (<i>Hirundo rustica</i>) | 20 |
| White-tailed Swallow (<i>Hirundo megaensis</i>) | 4 |
| Lesser Striped Swallow (<i>Cecropis abyssinica</i>) | 15 |
| Common House Martin (<i>Delichon urbicum</i>) | 10 |
| Somali Tit (<i>Melaniparus thruppi</i>) | 2 |
| Common Bulbul (<i>Pycnonotus barbatus</i>) | 5 |
| Somali Crombec (<i>Sylvietta isabellina</i>) | 1 |
| Brown-tailed Apalis (<i>Apalis flavida flavocincta</i>) | 4 |
| Grey-backed Camaroptera (<i>Camaroptera brachyura</i> [brevicaudata-group]) | 1 |
| Pale Prinia (<i>Prinia somalica</i>) | 6 |
| Yellow-bellied Eremomela (<i>Eremomela icteropygialis</i>) | 2 |

| | |
|--|----|
| Common Whitethroat (<i>Sylvia communis</i>) | 1 |
| Scaly Chatterer (<i>Turdoides aylmeri</i>) | 4 |
| Rufous Chatterer (<i>Turdoides rubiginosa</i>) | 4 |
| African Grey Flycatcher (<i>Bradornis microrhynchus</i>) | 3 |
| Grey Tit-flycatcher (<i>Myioparus plumbeus</i>) | 1 |
| White-winged Scrub Robin (<i>Cercotrichas leucophrys leucoptera</i>) | 4 |
| Spotted Palm Thrush (<i>Cichladusa guttata</i>) | 1 |
| Rufous-tailed Rock Thrush (<i>Monticola saxatilis</i>) | 1 |
| Northern Wheatear (<i>Oenanthe oenanthe</i>) | 2 |
| Pied Wheatear (<i>Oenanthe pleschanka</i>) | 50 |
| Isabelline Wheatear (<i>Oenanthe isabellina</i>) | 2 |
| African Bare-eyed Thrush (<i>Turdus tephronotus</i>) | 1 |
| Greater Blue-eared Glossy Starling (<i>Lamprotornis chalybaeus</i>) | 10 |
| Superb Starling (<i>Lamprotornis superbus</i>) | 50 |
| Shelley's Starling (<i>Lamprotornis shelleyi</i>) | 15 |
| White-crowned Starling (<i>Spreo albicapillus</i>) | 25 |
| Red-winged Starling (<i>Onychognathus morio</i>) | 5 |
| Kenya Violet-backed Sunbird (<i>Anthreptes orientalis</i>) | 3 |
| Collared Sunbird (<i>Hedydipna collaris</i>) | 1 |
| Variable Sunbird (<i>Cinnyris venustus albiventris</i>) | 1 |
| Somali Bunting (<i>Emberiza poliopleura</i>) | 3 |
| Reichenow's Seedeater (<i>Serinus reichenowi</i>) | 5 |
| White-bellied Canary (<i>Serinus dorsostriatus</i>) | 2 |
| Shelley's Rufous Sparrow (<i>Passer shelleyi</i>) | 10 |
| Swainson's Sparrow (<i>Passer swainsonii</i>) | 50 |
| Chestnut Sparrow (<i>Passer eminibey</i>) | 3 |
| Yellow-spotted Petronia (<i>Petronia pyrgita</i>) | 10 |
| Red-billed Buffalo Weaver (<i>Bubalornis niger</i>) | 2 |
| Grey-headed Social Weaver (<i>Pseudonigrita arnaudi</i>) | 50 |
| Black-cheeked Waxbill (<i>Estrilda charmosyna</i>) | 1 |
| Red-cheeked Cordonbleu (<i>Uraeginthus bengalus</i>) | 10 |
| Cut-throat (<i>Amadina fasciata</i>) | 1 |
| Steel-blue Whydah (<i>Vidua hypocherina</i>) | 4 |
| Straw-tailed Whydah (<i>Vidua fischeri</i>) | 1 |

11.03.2013 Yabello area (Ethiopia)

Walking 5 km in an area 4 km south of Yabello on the west side of the Mega road, then listening for nightbirds at the start of the

| | |
|--|----|
| Brown Snake Eagle (<i>Circaetus cinereus</i>) | 1 |
| Tawny Eagle (<i>Aquila rapax</i>) | 2 |
| Eastern Chanting Goshawk (<i>Melierax poliopterus</i>) | 2 |
| Shikra (<i>Accipiter badius</i>) | 1 |
| Crowned Lapwing (<i>Vanellus coronatus</i>) | 2 |
| Three-banded Courser (<i>Rhinoptilus cinctus</i>) | 4 |
| Ring-necked Dove (<i>Streptopelia capicola</i>) | 30 |
| Emerald-spotted Wood Dove (<i>Turtur chalcospilos</i>) | 1 |
| White-bellied Go-away-bird (<i>Corythaixoides leucogaster</i>) | 5 |
| Donaldson Smith's Nightjar (<i>Caprimulgus donaldsoni</i>) | 2 |
| Speckled Mousebird (<i>Colius striatus</i>) | 5 |
| Little Bee-eater (<i>Merops pusillus</i>) | 1 |
| Rufous-crowned Roller (<i>Coracias naevius</i>) | 2 |
| Eurasian Hoopoe (<i>Upupa epops</i>) | 2 |
| Abyssinian Scimitarbill (<i>Rhinopomastus minor</i>) | 1 |
| Northern Red-billed Hornbill (<i>Tockus erythrorhynchus</i>) | 1 |
| Red-and-yellow Barbet (<i>Trachyphonus erythrocephalus</i>) | 3 |
| D'arnaud's Barbet (<i>Trachyphonus darnaudii</i>) | 6 |
| Black-throated Barbet (<i>Tricholaema melanocephala</i>) | 1 |
| Eurasian Wryneck (<i>Jynx torquilla</i>) | 1 |
| Nubian Woodpecker (<i>Campethera nubica</i>) | 3 |
| African Orange-bellied Parrot (<i>Poicephalus rufiventris</i>) | 2 |
| Western Black-headed Batis (<i>Batis minor erlangeri</i>) | 3 |
| Slate-coloured Boubou (<i>Laniarius funebris</i>) | 4 |
| Rosy-patched Bushshrike (<i>Rhodophoneus cruentus</i>) | 1 |
| Sulphur-breasted Bushshrike (<i>Telophorus sulfureopectus</i>) | 1 |
| White-rumped Shrike (<i>Eurocephalus rueppelli</i>) | 6 |
| Fork-tailed Drongo (<i>Dicrurus adsimilis</i>) | 2 |
| Stresemann's Bush Crow (<i>Zavattariornis stresemanni</i>) | 3 |
| Foxy Lark (<i>Calendulauda alopex</i>) | 2 |

| | |
|--|----|
| Barn Swallow (<i>Hirundo rustica</i>) | 10 |
| Mouse-coloured Penduline Tit (<i>Anthoscopus musculus</i>) | 2 |
| Common Bulbul (<i>Pycnonotus barbatus</i>) | 3 |
| Dodson's Bulbul (<i>Pycnonotus barbatus dodsoni</i>) | 2 |
| Brown-tailed Apalis (<i>Apalis flavida flavocincta</i>) | 2 |
| Grey Wren-warbler (<i>Calamonastes simplex</i>) | 1 |
| Rattling Cisticola (<i>Cisticola chiniana</i>) | 2 |
| Tiny Cisticola (<i>Cisticola nana</i>) | 1 |
| Pale Prinia (<i>Prinia somalica</i>) | 2 |
| Yellow-bellied Eremomela (<i>Eremomela icteropygialis</i>) | 4 |
| Rufous Chatterer (<i>Turdoides rubiginosa</i>) | 4 |
| Pale Flycatcher (<i>Bradornis pallidus</i>) | 1 |
| African Grey Flycatcher (<i>Bradornis microrhynchus</i>) | 12 |
| White-winged Scrub Robin (<i>Cercotrichas leucophrys leucoptera</i>) | 2 |
| Spotted Palm Thrush (<i>Cichladusa guttata</i>) | 1 |
| Pied Wheatear (<i>Oenanthe pleschanka</i>) | 5 |
| African Bare-eyed Thrush (<i>Turdus tephronotus</i>) | 2 |
| Greater Blue-eared Glossy Starling (<i>Lamprotornis chalybaeus</i>) | 20 |
| Rueppell's Glossy Starling (<i>Lamprotornis purpuroptera</i>) | 3 |
| Golden-breasted Starling (<i>Lamprotornis regius</i>) | 1 |
| Superb Starling (<i>Lamprotornis superbus</i>) | 50 |
| Shelley's Starling (<i>Lamprotornis shelleyi</i>) | 25 |
| White-crowned Starling (<i>Spreo albicapillus</i>) | 10 |
| Magpie Starling (<i>Speculipastor bicolor</i>) | 1 |
| Kenya Violet-backed Sunbird (<i>Anthreptes orientalis</i>) | 1 |
| White-bellied Canary (<i>Serinus dorsostriatus</i>) | 8 |
| White-browed Sparrow-weaver (<i>Plocepasser mahali</i>) | 10 |
| Vitelline Masked Weaver (<i>Ploceus vitellinus</i>) | 2 |

12.03.2013 Yabello--Elephant Rock (Ethiopia)

Walking to the top of the rock, then along the northern part. For the Brown-tailed Chat, walk to the left of the elephant, looking e

| | |
|--|----|
| Buff-crested Bustard (<i>Eupodotis gindiana</i>) | 1 |
| Abyssinian Scimitarbill (<i>Rhinopomastus minor</i>) | 2 |
| White Helmetshrike (<i>Prionops plumatus</i>) | 4 |
| Brubru (<i>Nilaus afer</i>) | 1 |
| Slate-coloured Boubou (<i>Laniarius funebris</i>) | 1 |
| African Paradise-flycatcher (<i>Terpsiphone viridis</i>) | 2 |
| Fan-tailed Raven (<i>Corvus rhipidurus</i>) | 1 |
| Rock Martin (<i>Ptyonoprogne fuligula</i>) | 5 |
| Somali Tit (<i>Melaniparus thruppi</i>) | 1 |
| Northern Brownbul (<i>Phyllastrephus strepitans</i>) | 6 |
| Brown-tailed Apalis (<i>Apalis flavida flavocincta</i>) | 2 |
| Rattling Cisticola (<i>Cisticola chiniana</i>) | 1 |
| African Grey Flycatcher (<i>Bradornis microrhynchus</i>) | 2 |
| Mocking Cliff Chat (<i>Thamnolaea cinnamomeiventris</i>) | 2 |
| Brown-tailed Chat (<i>Cercomela scotocerca</i>) | 3 |
| Shelley's Starling (<i>Lamprotornis shelleyi</i>) | 10 |
| Kenya Violet-backed Sunbird (<i>Anthreptes orientalis</i>) | 2 |
| Somali Bunting (<i>Emberiza poliopleura</i>) | 2 |
| White-bellied Canary (<i>Serinus dorsostriatus</i>) | 2 |
| Yellow-spotted Petronia (<i>Petronia pyrgita</i>) | 1 |

12.03.2013 Yabello to Mega road (Ethiopia)

Driving down to the Soda road triangle.

| | |
|--|----|
| Bateleur (<i>Terathopius ecaudatus</i>) | 1 |
| Martial Eagle (<i>Polemaetus bellicosus</i>) | 1 |
| Alpine Swift (<i>Apus melba</i>) | 70 |
| Rufous-crowned Roller (<i>Coracias naevius</i>) | 1 |
| Northern Red-billed Hornbill (<i>Tockus erythrorhynchus</i>) | 1 |
| African Pygmy Falcon (<i>Polihierax semitorquatus</i>) | 1 |
| Rosy-patched Bushshrike (<i>Rhodophoneus cruentus</i>) | 1 |
| Stresemann's Bush Crow (<i>Zavattariornis stresemanni</i>) | 6 |
| Somali Crow (<i>Corvus edithae</i>) | 7 |
| Lesser Striped Swallow (<i>Cecropis abyssinica</i>) | 15 |
| Common House Martin (<i>Delichon urbicum</i>) | 70 |
| Pied Wheatear (<i>Oenanthe pleschanka</i>) | 30 |

12.03.2013 Yabello--Mega triangle (Ethiopia)

Walking a bit on the open field looking for larks and coursers.

| | |
|--|----|
| Black-winged Kite (<i>Elanus caeruleus</i>) | 1 |
| White-headed Vulture (<i>Trigonoceps occipitalis</i>) | 2 |
| Black-breasted Snake Eagle (<i>Circaetus pectoralis</i>) | 1 |
| Crowned Lapwing (<i>Vanellus coronatus</i>) | 2 |
| Great Spotted Cuckoo (<i>Clamator glandarius</i>) | 1 |
| Alpine Swift (<i>Apus melba</i>) | 80 |
| Mottled Swift (<i>Apus aequatorialis</i>) | 1 |
| Eurasian Hoopoe (<i>Upupa epops</i>) | 3 |
| D'arnaud's Barbet (<i>Trachyphonus darnaudii</i>) | 2 |
| Eurasian Wryneck (<i>Jynx torquilla</i>) | 1 |
| Nubian Woodpecker (<i>Campethera nubica</i>) | 2 |
| Lesser Kestrel (<i>Falco naumanni</i>) | 1 |
| Brubru (<i>Nilaus afer</i>) | 1 |
| Somali Fiscal (<i>Lanius somalicus</i>) | 25 |
| Eurasian Golden Oriole (<i>Oriolus oriolus</i>) | 1 |
| Fork-tailed Drongo (<i>Dicrurus adsimilis</i>) | 1 |
| Stresemann's Bush Crow (<i>Zavattariornis stresemanni</i>) | 4 |
| Somali Crow (<i>Corvus edithae</i>) | 1 |
| Foxy Lark (<i>Calendulauda alopex</i>) | 1 |
| Short-tailed Lark (<i>Pseudalaemon fremantlii</i>) | 4 |
| Ethiopian Swallow (<i>Hirundo aethiopica</i>) | 4 |
| White-tailed Swallow (<i>Hirundo megaensis</i>) | 20 |
| Willow Warbler (<i>Phylloscopus trochilus</i>) | 2 |
| Yellow-bellied Eremomela (<i>Eremomela icteropygialis</i>) | 4 |
| Pale Flycatcher (<i>Bradornis pallidus</i>) | 2 |
| African Grey Flycatcher (<i>Bradornis microrhynchus</i>) | 6 |
| Rufous-tailed Rock Thrush (<i>Monticola saxatilis</i>) | 1 |
| Pied Wheatear (<i>Oenanthe pleschanka</i>) | 10 |
| Isabelline Wheatear (<i>Oenanthe isabellina</i>) | 25 |
| Superb Starling (<i>Lamprotornis superbus</i>) | 50 |
| Tawny Pipit (<i>Anthus campestris</i>) | 4 |
| Plain-backed Pipit (<i>Anthus leucophrys</i>) | 2 |
| Shelley's Rufous Sparrow (<i>Passer shelleyi</i>) | 4 |
| Grey-headed Social Weaver (<i>Pseudonigrita arnaudi</i>) | 30 |
| Black-capped Social Weaver (<i>Pseudonigrita cabanisi</i>) | 25 |

12.03.2013 Mega--southern plain (Ethiopia)

Driving 15 km south of Mega, walking a bit around, then back to Mega. Disappointing habitat with no lava fields.

| | |
|--|----|
| Egyptian Vulture (<i>Neophron percnopterus</i>) | 1 |
| White-headed Vulture (<i>Trigonoceps occipitalis</i>) | 1 |
| Lappet-faced Vulture (<i>Torgos tracheliotus</i>) | 1 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 1 |
| African White-backed Vulture (<i>Gyps africanus</i>) | 7 |
| Bateleur (<i>Terathopius ecaudatus</i>) | 1 |
| Tawny Eagle (<i>Aquila rapax</i>) | 6 |
| Eastern Chanting Goshawk (<i>Melierax poliopterus</i>) | 1 |
| Buff-crested Bustard (<i>Eupodotis gindiana</i>) | 1 |
| Ring-necked Dove (<i>Streptopelia capicola</i>) | 5 |
| Alpine Swift (<i>Apus melba</i>) | 30 |
| Mottled Swift (<i>Apus aequatorialis</i>) | 5 |
| Blue-naped Mousebird (<i>Urocolius macrourus</i>) | 3 |
| Lilac-breasted Roller (<i>Coracias caudatus</i>) | 1 |
| Brubru (<i>Nilaus afer</i>) | 1 |
| Somali Crow (<i>Corvus edithae</i>) | 1 |
| Barn Swallow (<i>Hirundo rustica</i>) | 5 |
| Dodson's Bulbul (<i>Pycnonotus barbatus dodsoni</i>) | 5 |
| Common Whitethroat (<i>Sylvia communis</i>) | 1 |
| Pied Wheatear (<i>Oenanthe pleschanka</i>) | 4 |
| Shelley's Starling (<i>Lamprotornis shelleyi</i>) | 2 |
| White-crowned Starling (<i>Spreo albicapillus</i>) | 2 |
| Swainson's Sparrow (<i>Passer swainsonii</i>) | 2 |
| Black-capped Social Weaver (<i>Pseudonigrita cabanisi</i>) | 3 |

12.03.2013 Mega area (Ethiopia)

Northern escarpment briefly, then southern escarpment at length on the way back to Yabello.

| | |
|--|----|
| Egyptian Vulture (<i>Neophron percnopterus</i>) | 1 |
| Pallid Harrier (<i>Circus macrourus</i>) | 1 |
| Augur Buzzard (<i>Buteo augur</i>) | 2 |
| Bare-faced Go-away-bird (<i>Corythaixoides personatus</i>) | 2 |
| Alpine Swift (<i>Apus melba</i>) | 20 |
| Mottled Swift (<i>Apus aequatorialis</i>) | 15 |
| Nyanza Swift (<i>Apus niansae</i>) | 10 |
| White-rumped Swift (<i>Apus caffer</i>) | 1 |
| Eurasian Hoopoe (<i>Upupa epops</i>) | 2 |
| African Grey Hornbill (<i>Tockus nasutus</i>) | 1 |
| Red-fronted Tinkerbird (<i>Pogoniulus pusillus</i>) | 1 |
| Red-fronted Barbet (<i>Tricholaema diademata</i>) | 3 |
| Lesser Honeyguide (<i>Indicator minor</i>) | 2 |
| Grey-headed Batis (<i>Batis orientalis</i>) | 2 |
| White Helmetshrike (<i>Prionops plumatus</i>) | 3 |
| Northern Puffback (<i>Dryoscopus gambensis</i>) | 1 |
| Slate-coloured Boubou (<i>Laniarius funebris</i>) | 1 |
| Rosy-patched Bushshrike (<i>Rhodophoneus cruentus</i>) | 1 |
| White-rumped Shrike (<i>Eurocephalus rueppelli</i>) | 2 |
| Eastern Black-headed Oriole (<i>Oriolus larvatus</i>) | 3 |
| African Paradise-flycatcher (<i>Terpsiphone viridis</i>) | 2 |
| Fan-tailed Raven (<i>Corvus rhipidurus</i>) | 3 |
| Lesser Striped Swallow (<i>Cecropis abyssinica</i>) | 5 |
| Common House Martin (<i>Delichon urbicum</i>) | 10 |
| Dodson's Bulbul (<i>Pycnonotus barbatus dodsoni</i>) | 5 |
| Common Chiffchaff (<i>Phylloscopus collybita</i>) | 2 |
| Eastern Olivaceous Warbler (<i>Iduna pallida</i>) | 2 |
| Brown-tailed Apalis (<i>Apalis flavida flavocincta</i>) | 2 |
| Grey-backed Camaroptera (<i>Camaroptera brachyura</i> [brevicaudata-group]) | 1 |
| Montane White-eye (<i>Zosterops poliogastrus</i>) | 5 |
| Northern Black Flycatcher (<i>Melaenornis edolioides</i>) | 1 |
| Spotted Palm Thrush (<i>Cichladusa guttata</i>) | 2 |
| Mountain Thrush (<i>Turdus abyssinicus</i>) | 1 |
| Bristle-crowned Starling (<i>Onychognathus salvadorii</i>) | 2 |
| Mariqua Sunbird (<i>Cinnyris mariquensis</i>) | 1 |
| Tree Pipit (<i>Anthus trivialis</i>) | 6 |
| Red-throated Pipit (<i>Anthus cervinus</i>) | 20 |
| Cinnamon-breasted Bunting (<i>Emberiza tahapisi</i>) | 2 |
| Northern Grosbeak-canary (<i>Serinus donaldsoni</i>) | 1 |
| Vitelline Masked Weaver (<i>Ploceus vitellinus</i>) | 3 |
| Red-cheeked Cordonbleu (<i>Uraeginthus bengalus</i>) | 10 |
| Purple Grenadier (<i>Granatina ianthinogaster</i>) | 2 |
| Cut-throat (<i>Amadina fasciata</i>) | 1 |

12.03.2013 Yabello--Mega triangle (Ethiopia)

Walking a lot on the open plain looking for Somali Courser.

| | |
|--|----|
| Yellow-necked Francolin (<i>Francolinus leucoscepus</i>) | 1 |
| White-bellied Bustard (<i>Eupodotis senegalensis</i>) | 2 |
| Black-winged Lapwing (<i>Vanellus melanopterus</i>) | 3 |
| Crowned Lapwing (<i>Vanellus coronatus</i>) | 6 |
| Great Spotted Cuckoo (<i>Clamator glandarius</i>) | 1 |
| Alpine Swift (<i>Apus melba</i>) | 50 |
| Little Bee-eater (<i>Merops pusillus</i>) | 1 |
| Lilac-breasted Roller (<i>Coracias caudatus</i>) | 1 |
| Eurasian Hoopoe (<i>Upupa epops</i>) | 1 |
| Nubian Woodpecker (<i>Campethera nubica</i>) | 1 |
| Lesser Kestrel (<i>Falco naumanni</i>) | 5 |
| Somali Fiscal (<i>Lanius somalicus</i>) | 15 |
| Eurasian Golden Oriole (<i>Oriolus oriolus</i>) | 1 |
| Foxy Lark (<i>Calendulauda alopex</i>) | 1 |
| Short-tailed Lark (<i>Pseudalaemon fremantlii</i>) | 65 |
| Barn Swallow (<i>Hirundo rustica</i>) | 10 |
| Ethiopian Swallow (<i>Hirundo aethiopica</i>) | 5 |
| White-tailed Swallow (<i>Hirundo megaensis</i>) | 30 |

| | |
|--|----|
| Red-faced Crombec (<i>Sylvietta whytii</i>) | 1 |
| Yellow-bellied Eremomela (<i>Eremomela icteropygialis</i>) | 4 |
| African Grey Flycatcher (<i>Bradornis microrhynchus</i>) | 6 |
| Superb Starling (<i>Lamprotornis superbus</i>) | 30 |
| Shelley's Starling (<i>Lamprotornis shelleyi</i>) | 5 |
| White-crowned Starling (<i>Spreo albicapillus</i>) | 2 |
| Tawny Pipit (<i>Anthus campestris</i>) | 2 |
| Plain-backed Pipit (<i>Anthus leucophrys</i>) | 1 |
| Shelley's Rufous Sparrow (<i>Passer shelleyi</i>) | 10 |
| Grey-headed Social Weaver (<i>Pseudonigrita arnaudi</i>) | 50 |

12.03.2013 Yabello to Mega road (Ethiopia)

Driving north to the new water cistern just south of Yabello, then stopping at sunset at the beginning of Negele road, at the pow

| | |
|--|----|
| Crested Francolin (<i>Francolinus sephaena</i>) | 1 |
| Yellow-necked Francolin (<i>Francolinus leucoscepus</i>) | 2 |
| Buff-crested Bustard (<i>Eupodotis gindiana</i>) | 1 |
| Three-banded Courser (<i>Rhinoptilus cinctus</i>) | 2 |
| African Orange-bellied Parrot (<i>Poicephalus rufiventris</i>) | 6 |
| Ethiopian Swallow (<i>Hirundo aethiopica</i>) | 10 |
| White-tailed Swallow (<i>Hirundo megaensis</i>) | 30 |

13.03.2013 Yabello area (Ethiopia)

Driving north to Awassa.

| | |
|--|----|
| Cattle Egret (<i>Bubulcus ibis</i>) | 5 |
| Long-crested Eagle (<i>Lophaetus occipitalis</i>) | 1 |
| Bare-faced Go-away-bird (<i>Corythaixoides personatus</i>) | 1 |
| Grey Kestrel (<i>Falco ardosiaceus</i>) | 1 |
| Stresemann's Bush Crow (<i>Zavattariornis stresemanni</i>) | 1 |
| White-crowned Starling (<i>Spreo albicapillus</i>) | 3 |
| Lesser Masked Weaver (<i>Ploceus intermedius</i>) | 25 |

13.03.2013 Yabello to Hagere Maryam road (Ethiopia)

Driving from Yabello to Awassa.

| | |
|--|----|
| Hadada Ibis (<i>Bostrychia hagedash</i>) | 2 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 25 |
| Booted Eagle (<i>Hieraaetus pennatus</i>) | 1 |
| Dark Chanting Goshawk (<i>Melierax metabates</i>) | 1 |
| Yellow-billed Kite (<i>Milvus migrans aegyptius/parasitus</i>) | 20 |
| Black-winged Lapwing (<i>Vanellus melanopterus</i>) | 2 |
| Broad-billed Roller (<i>Eurystomus glaucurus</i>) | 2 |
| Black-billed Woodhoopoe (<i>Phoeniculus somaliensis</i>) | 6 |
| Northern Red-billed Hornbill (<i>Tockus erythrorhynchus</i>) | 1 |
| Von Der Decken's Hornbill (<i>Tockus deckeni</i>) | 1 |
| Hemprich's Hornbill (<i>Tockus hemprichii</i>) | 2 |
| Silvery-cheeked Hornbill (<i>Ceratogymna brevis</i>) | 2 |
| Northern Ground Hornbill (<i>Bucorvus abyssinicus</i>) | 1 |
| Bearded Woodpecker (<i>Dendropicos namaquus</i>) | 2 |
| Cape Crow (<i>Corvus capensis</i>) | 4 |
| Mosque Swallow (<i>Cecropis senegalensis</i>) | 2 |
| Red-headed Weaver (<i>Anaplectes rubriceps</i>) | 2 |

13.03.2013 Meda marsh (Ethiopia)

Stopping at this great area for Wattled Crane.

| | |
|--|---|
| Egyptian Goose (<i>Alopochen aegyptiaca</i>) | 2 |
| Wattled Ibis (<i>Bostrychia carunculata</i>) | 2 |
| Yellow-billed Kite (<i>Milvus migrans aegyptius/parasitus</i>) | 5 |
| Rouget's Rail (<i>Rougetius rougetii</i>) | 1 |
| Wattled Crane (<i>Bugeranus carunculatus</i>) | 2 |
| Silvery-cheeked Hornbill (<i>Ceratogymna brevis</i>) | 2 |
| Abyssinian Woodpecker (<i>Dendropicos abyssinicus</i>) | 2 |
| Grey-headed Woodpecker (<i>Dendropicos spodocephalus</i>) | 1 |
| Northern Fiscal (<i>Lanius humeralis</i>) | 1 |
| Abyssinian Slaty Flycatcher (<i>Melaenornis chocolatinus</i>) | 5 |
| Rueppell's Robin-chat (<i>Cossypha semirufa</i>) | 1 |
| Tacazze Sunbird (<i>Nectarinia tacazze</i>) | 2 |

13.03.2013 Chiko to Cheichei road (Ethiopia)

Driving from Yabello to Awassa.

| | |
|---|---|
| African Cuckoo-hawk (<i>Aviceda cuculoides</i>) | 1 |
|---|---|

13.03.2013 Lake Awassa--United Africa Shebelle Hotel area (Ethiopia)

Walking the lakeshore 1 km north of the hotel, as well as briefly in the hotel area.

| | |
|--|-----|
| White-faced Whistling Duck (<i>Dendrocygna viduata</i>) | 25 |
| White-backed Duck (<i>Thalassornis leuconotus</i>) | 6 |
| Egyptian Goose (<i>Alopochen aegyptiaca</i>) | 4 |
| African Pygmy Goose (<i>Nettapus auritus</i>) | 18 |
| Little Grebe (<i>Tachybaptus ruficollis</i>) | 20 |
| Abdim's Stork (<i>Ciconia abdimii</i>) | 1 |
| Marabou Stork (<i>Leptoptilos crumenifer</i>) | 250 |
| White-breasted Cormorant (<i>Phalacrocorax carbo lucidus</i>) | 25 |
| Long-tailed Cormorant (<i>Phalacrocorax africanus</i>) | 10 |
| Hamerkop (<i>Scopus umbretta</i>) | 1 |
| Great Egret (<i>Ardea alba</i>) | 2 |
| Intermediate Egret (<i>Mesophoyx intermedia</i>) | 1 |
| Little Egret (<i>Egretta garzetta</i>) | 10 |
| Cattle Egret (<i>Bubulcus ibis</i>) | 1 |
| Squacco Heron (<i>Ardeola ralloides</i>) | 10 |
| Sacred Ibis (<i>Threskiornis aethiopicus</i>) | 5 |
| Hadada Ibis (<i>Bostrychia hagedash</i>) | 1 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 100 |
| Yellow-billed Kite (<i>Milvus migrans aegyptius/parasitus</i>) | 30 |
| African Fish Eagle (<i>Haliaeetus vocifer</i>) | 6 |
| Black Crake (<i>Amaurornis flavirostra</i>) | 20 |
| African Swampphen (<i>Porphyrio porphyrio madagascariensis</i>) | 3 |
| Common Moorhen (<i>Gallinula chloropus</i>) | 1 |
| Red-knobbed Coot (<i>Fulica cristata</i>) | 2 |
| Spur-winged Lapwing (<i>Vanellus spinosus</i>) | 1 |
| African Jacana (<i>Actophilornis africanus</i>) | 40 |
| Common Sandpiper (<i>Actitis hypoleucos</i>) | 1 |
| Common Greenshank (<i>Tringa nebularia</i>) | 2 |
| Wood Sandpiper (<i>Tringa glareola</i>) | 1 |
| Grey-headed Gull (<i>Chroicocephalus cirrocephalus</i>) | 4 |
| White-winged Tern (<i>Chlidonias leucopterus</i>) | 5 |
| Speckled Pigeon (<i>Columba guinea</i>) | 10 |
| Red-eyed Dove (<i>Streptopelia semitorquata</i>) | 20 |
| Laughing Dove (<i>Streptopelia senegalensis</i>) | 5 |
| Blue-headed Coucal (<i>Centropus monachus</i>) | 2 |
| Speckled Mousebird (<i>Colius striatus</i>) | 5 |
| Malachite Kingfisher (<i>Corythornis cristatus</i>) | 25 |
| Pied Kingfisher (<i>Ceryle rudis</i>) | 20 |
| Northern Carmine Bee-eater (<i>Merops nubicus</i>) | 1 |
| Silvery-cheeked Hornbill (<i>Ceratogymna brevis</i>) | 2 |
| African Paradise-flycatcher (<i>Terpsiphone viridis</i>) | 2 |
| Pied Crow (<i>Corvus albus</i>) | 2 |
| Sand Martin (<i>Riparia riparia</i>) | 50 |
| Common Bulbul (<i>Pycnonotus barbatus</i>) | 5 |
| Willow Warbler (<i>Phylloscopus trochilus</i>) | 5 |
| Sedge Warbler (<i>Acrocephalus schoenobaenus</i>) | 25 |
| Eurasian Reed Warbler (<i>Acrocephalus scirpaceus</i>) | 3 |
| Lesser Swamp Warbler (<i>Acrocephalus gracilirostris</i>) | 1 |
| Little Rush Warbler (<i>Bradypterus baboecala</i>) | 2 |
| Grey-backed Camaroptera (<i>Camaroptera brachyura</i> [brevicaudata-group]) | 1 |
| Buff-bellied Warbler (<i>Phyllolais pulchella</i>) | 2 |
| Montane White-eye (<i>Zosterops poliogastrus</i>) | 6 |
| Northern White-rumped Babbler (<i>Turdoides leucopygia</i>) | 6 |
| African Dusky Flycatcher (<i>Muscicapa adusta</i>) | 1 |
| White-browed Robin-chat (<i>Cossypha heuglini</i>) | 1 |
| Pied Wheatear (<i>Oenanthe pleschanka</i>) | 1 |
| African Thrush (<i>Turdus pelios</i>) | 2 |
| Beautiful Sunbird (<i>Cinnyris pulchellus</i>) | 2 |
| Western Yellow Wagtail (<i>Motacilla flava</i>) | 30 |
| Black-headed Wagtail (<i>Motacilla flava feldegg</i>) | 2 |

| | |
|---|-----|
| African Citril (<i>Serinus citrinelloides</i>) | 25 |
| Swainson's Sparrow (<i>Passer swainsonii</i>) | 50 |
| White-browed Sparrow-weaver (<i>Plocepasser mahali</i>) | 2 |
| Baglafaecht Weaver (<i>Ploceus baglafaecht</i>) | 50 |
| Spectacled Weaver (<i>Ploceus ocularis</i>) | 1 |
| Vitelline Masked Weaver (<i>Ploceus vitellinus</i>) | 2 |
| Village Weaver (<i>Ploceus cucullatus</i>) | 50 |
| Common Waxbill (<i>Estrilda astrild</i>) | 100 |
| Red-billed Firefinch (<i>Lagonosticta senegala</i>) | 20 |
| Bronze Mannikin (<i>Spermestes cucullatus</i>) | 30 |

14.03.2013 Lake Awassa--United Africa Shebelle Hotel area (Ethiopia)

Walking around the hotel grounds with Solomon, then a short look from the pier in front of the back gate.

| | |
|---|-----|
| White-faced Whistling Duck (<i>Dendrocygna viduata</i>) | 5 |
| White-backed Duck (<i>Thalassornis leuconotus</i>) | 3 |
| African Pygmy Goose (<i>Nettapus auritus</i>) | 6 |
| Little Grebe (<i>Tachybaptus ruficollis</i>) | 2 |
| Marabou Stork (<i>Leptoptilos crumenifer</i>) | 200 |
| White-breasted Cormorant (<i>Phalacrocorax carbo lucidus</i>) | 70 |
| Long-tailed Cormorant (<i>Phalacrocorax africanus</i>) | 5 |
| Pink-backed Pelican (<i>Pelecanus rufescens</i>) | 8 |
| Hamerkop (<i>Scopus umbretta</i>) | 1 |
| Little Egret (<i>Egretta garzetta</i>) | 10 |
| Squacco Heron (<i>Ardeola ralloides</i>) | 5 |
| Sacred Ibis (<i>Threskiornis aethiopicus</i>) | 20 |
| Hooded Vulture (<i>Necrosyrtes monachus</i>) | 50 |
| Black Kite (<i>Milvus migrans [migrans-group]</i>) | 2 |
| Yellow-billed Kite (<i>Milvus migrans aegyptius/parasitus</i>) | 10 |
| African Fish Eagle (<i>Haliaeetus vocifer</i>) | 2 |
| Black Crake (<i>Amaurornis flavirostra</i>) | 3 |
| Common Greenshank (<i>Tringa nebularia</i>) | 2 |
| Ruff (<i>Philomachus pugnax</i>) | 2 |
| Grey-headed Gull (<i>Chroicocephalus cirrocephalus</i>) | 2 |
| White-winged Tern (<i>Chlidonias leucopterus</i>) | 10 |
| Speckled Pigeon (<i>Columba guinea</i>) | 2 |
| African Mourning Dove (<i>Streptopelia decipiens</i>) | 20 |
| Red-eyed Dove (<i>Streptopelia semitorquata</i>) | 10 |
| Speckled Mousebird (<i>Colius striatus</i>) | 10 |
| Woodland Kingfisher (<i>Halcyon senegalensis</i>) | 2 |
| Little Bee-eater (<i>Merops pusillus</i>) | 2 |
| Eurasian Wryneck (<i>Jynx torquilla</i>) | 1 |
| Rufous-necked Wryneck (<i>Jynx ruficollis</i>) | 1 |
| Grey-headed Woodpecker (<i>Dendropicos spodocephalus</i>) | 6 |
| Black-winged Lovebird (<i>Agapornis taranta</i>) | 30 |
| Western Black-headed Batis (<i>Batis minor erlangeri</i>) | 2 |
| Fork-tailed Drongo (<i>Dicrurus adsimilis</i>) | 1 |
| African Paradise-flycatcher (<i>Terpsiphone viridis</i>) | 2 |
| Brown-throated Martin (<i>Riparia paludicola</i>) | 20 |
| African Spotted Creeper (<i>Salpornis spilonotus [salvadori-group]</i>) | 2 |
| Willow Warbler (<i>Phylloscopus trochilus</i>) | 6 |
| Sedge Warbler (<i>Acrocephalus schoenobaenus</i>) | 4 |
| Lesser Swamp Warbler (<i>Acrocephalus gracilirostris</i>) | 3 |
| Buff-bellied Warbler (<i>Phyllolais pulchella</i>) | 2 |
| Barred Warbler (<i>Sylvia nisoria</i>) | 1 |
| Northern Black Flycatcher (<i>Melaenornis edolioides</i>) | 2 |
| White-browed Robin-chat (<i>Cossypha heuglini</i>) | 1 |
| African Thrush (<i>Turdus pelios</i>) | 2 |
| Beautiful Sunbird (<i>Cinnyris pulchellus</i>) | 2 |
| Western Yellow Wagtail (<i>Motacilla flava</i>) | 20 |
| Grey-headed Wagtail (<i>Motacilla flava thunbergi</i>) | 1 |
| African Citril (<i>Serinus citrinelloides</i>) | 8 |
| Swainson's Sparrow (<i>Passer swainsonii</i>) | 25 |
| White-browed Sparrow-weaver (<i>Plocepasser mahali</i>) | 2 |
| Little Weaver (<i>Ploceus luteolus</i>) | 1 |
| Village Weaver (<i>Ploceus cucullatus</i>) | 50 |
| Cut-throat (<i>Amadina fasciata</i>) | 6 |

14.03.2013 Lake Awassa Fish Market (Ethiopia)

A short stop here and at a few shoreline areas nearby.

| | |
|--|-----|
| White-faced Whistling Duck (<i>Dendrocygna viduata</i>) | 10 |
| White-backed Duck (<i>Thalassornis leuconotus</i>) | 1 |
| Egyptian Goose (<i>Alopochen aegyptiaca</i>) | 10 |
| African Pygmy Goose (<i>Nettapus auritus</i>) | 2 |
| Garganey (<i>Anas querquedula</i>) | 10 |
| Little Grebe (<i>Tachybaptus ruficollis</i>) | 10 |
| Marabou Stork (<i>Leptoptilos crumenifer</i>) | 300 |
| Yellow-billed Kite (<i>Milvus migrans aegyptius/parasitus</i>) | 30 |
| African Swamphen (<i>Porphyrio porphyrio madagascariensis</i>) | 1 |
| Common Moorhen (<i>Gallinula chloropus</i>) | 1 |
| Red-knobbed Coot (<i>Fulica cristata</i>) | 20 |
| Spur-winged Lapwing (<i>Vanellus spinosus</i>) | 1 |
| Black-winged Stilt (<i>Himantopus himantopus</i>) | 2 |
| Common Greenshank (<i>Tringa nebularia</i>) | 2 |
| Ruff (<i>Philomachus pugnax</i>) | 30 |
| Grey-headed Gull (<i>Chroicocephalus cirrocephalus</i>) | 2 |
| White-winged Tern (<i>Chlidonias leucopterus</i>) | 50 |
| Spotted Flycatcher (<i>Muscicapa striata</i>) | 1 |

14.03.2013 Lake Awassa to Lake Langano road (Ethiopia)

Driving north to Addis.

| | |
|--|-----|
| Helmeted Guineafowl (<i>Numida meleagris</i>) | 100 |
| Abdim's Stork (<i>Ciconia abdimii</i>) | 1 |
| White Stork (<i>Ciconia ciconia</i>) | 1 |
| Marabou Stork (<i>Leptoptilos crumenifer</i>) | 100 |
| Steppe Buzzard (<i>Buteo buteo [vulpinus-group]</i>) | 1 |
| Hemprich's Hornbill (<i>Tockus hemprichii</i>) | 1 |
| Northern Ground Hornbill (<i>Bucorvus abyssinicus</i>) | 6 |

14.03.2013 Lake Cheleleka (Ethiopia)

A quick stop to look for Crowned Cranes for Neil.

| | |
|--|-----|
| Egyptian Goose (<i>Alopochen aegyptiaca</i>) | 10 |
| Spur-winged Goose (<i>Plectropterus gambensis</i>) | 300 |
| Garganey (<i>Anas querquedula</i>) | 5 |
| Greater Flamingo (<i>Phoenicopterus roseus</i>) | 2 |
| Lesser Flamingo (<i>Phoenicopterus minor</i>) | 40 |
| Marabou Stork (<i>Leptoptilos crumenifer</i>) | 200 |
| Common Crane (<i>Grus grus</i>) | 2 |